

Daftar Pustaka

- Amin, F. (2012). Sistem Temu Kembali Informasi dengan Metode Vector Space Model. *Jurnal Sistem Informasi Bisnis*, 2(2), 78–83. <https://doi.org/10.21456/vol2iss2pp078-083>
- Bina Farmasi Komunitas dan Klinik. (2007). *Pharmaceutical Care Untuk Penderita Gangguan Depresi*. Jakarta: Departemen Kesehatan RI.
- Departemen kesehatan RI. (1993). *Pedoman Penggolongan dan Diagnosis Gangguan Jiwa Indonesia III*. Jakarta: Direktorat Jenderal Pelayanan Medik.
- Jackson, P., & Motiliner, I. (2002). *Natural Language Processing for Online Applications Text Retrieval, Extraction and Categorization*. <https://doi.org/10.1017/CBO9781107415324.004>
- Kang, K., & Kim, E. Y. (2016). *Identifying Depressive Users in Twitter Using Multimodal Analysis*.
- Karmen, C., Hsiung, R. C., & Wetter, T. (2015). Screening internet forum participants for depression symptoms by assembling and enhancing multiple NLP methods. *Computer Methods and Programs in Biomedicine*, 120(1), 27–36. <https://doi.org/10.1016/j.cmpb.2015.03.008>
- Kementrian Kesehatan RI. (2014). Stop Stigma dan Diskriminasi terhadap Orang Dengan Gangguan Jiwa (ODGJ). Retrieved April 29, 2016, from <http://www.depkes.go.id/article/view/201410270011/stop-stigma-dan-diskriminasi-terhadap-orang-dengan-gangguan-jiwa-odgj.html>
- Kusumadewi, S. (2003). *Artificial Intelligence*. Yogyakarta: Graha Ilmu.
- Mahardhika, G. P. (2013). *Sistem Pakar Medis Untuk Kasus Dermatomikosis Superfisialis Berbasis Multimedia*.
- Mazalan, L., Mohamed Halim, N. H., Omar, H. A., & Mohamad Zaini, N. (2012). Profiling system for depressive disorder patient using web based approaches. *2012 IEEE Control and System Graduate Research Colloquium, (Icsgrc)*, 207–212. <https://doi.org/10.1109/ICSGRC.2012.6287163>
- Mittal, T. (2014). *Application of Rough Sets in Diagnosis of the Depressive State of Mind*. (1), 6–8.

- Nambisan, P., Luo, Z., Kapoor, A., Patrick, T. B., & Cisler, R. A. (2015). Social media, big data, and public health informatics: Ruminating behavior of depression revealed through twitter. *Proceedings of the Annual Hawaii International Conference on System Sciences, 2015-March*, 2906–2913. <https://doi.org/10.1109/HICSS.2015.351>
- Niwattanakul, S., Singthongchai, J., Naenudorn, E., & Wanapu, S. (2013). *Using of Jaccard Coefficient for Keywords Similarity. I*. <https://doi.org/ISBN 978-988-19251-8-3>
- Nunes, L. C., Pinheiro, P. R., & Pequeno, T. C. (2010). *Support Tool in the Diagnosis of Major Depressive Disorder*. 136–145.
- Nurdiana, O., Jumadi, J., & Nursantika, D. (2016). Perbandingan Metode Cosine Similarity Dengan Metode Jaccard Similarity Pada Aplikasi Pencarian Terjemah Al-Qur'an Dalam Bahasa Indonesia. *Jurnal Online Informatika*, 1(1), 59. <https://doi.org/10.15575/join.v1i1.12>
- Ratnasari, C. I., Kusumadewi, S., & Rosita, L. (2014). Model Natural Language Processing untuk Perumusan Keluhan Pasien. *Seminar Nasional Informatika Medis (SNIMed) V*, 11–18.
- Ratnasari, C. I., Kusumadewi, S., & Rosita, L. (2015). Natural language parsing of patient complaints in Indonesian language. *2015 International Conference on Science and Technology (TICST)*, 292–297. <https://doi.org/10.1109/TICST.2015.7369373>
- Rinartha, K. (2017). *Simple Query Suggestion Untuk Pencarian Artikel Menggunakan Jaccard Similarity*. 3(1), 30–34.
- Schueller, S. M., & Mohr, D. C. (2015). Initial Field Trial of a Coach-Supported Web-Based Depression Treatment. *International Conference on Pervasive Computing Technologies for Healthcare : [Proceedings]. International Conference on Pervasive Computing Technologies for Healthcare*, 2015. <https://doi.org/10.4108/icst.pervasivehealth.2015.260115>
- Setiadi, G. (2014). *Pemulihan Gangguan Jiwa: Pedoman bagi penderita, keluarga dan relawan jiwa*. Purworejo, Jawa Tengah: Tirto Jiwo.
- Shapira, N. (2007). *Klasifikasi Bentuk Lingual Leksikon Makanan Dan Peralatan Dalam Upacara Adat Wuku Taun Di Kampung Adat Cikondang, Kabupaten Bandung*. (1).
- Thermolia, C. H., Bei, E. S., & Petrakis, E. G. M. (2013). TeleCare of mental disorders by applying semantic web technology. *13th IEEE International Conference on BioInformatics and BioEngineering, IEEE BIBE 2013*. <https://doi.org/10.1109/BIBE.2013.6701661>

- Thermolia, C. H., Bei, E. S., & Petrakis, E. G. M. (2014). Prediction of the Evolution of Bipolar Depression using Semantic Web Technologies. *IEEE*.
- WHO. (2007). World Health Statistics 2007. In *World Health Organization*.
- Zahrotun, L. (2016). Comparison Jaccard similarity, Cosine Similarity and Combined Both of the Data Clustering With Shared Nearest Neighbor Method. *Computer Engineering and Applications Journal*, 5(1), 11–18. <https://doi.org/10.18495/comengapp.v5i1.160>
- Zhan, J., Zheng, G., Song, M., Wei, T., Jiang, M., Lu, C., & Lu, A. (2013). Exploring Li-Fa-Fang-Yao rules of major depressive disorder in traditional Chinese medicine through text mining. *Proceedings - 2013 IEEE International Conference on Bioinformatics and Biomedicine, IEEE BIBM 2013*, 460–464. <https://doi.org/10.1109/BIBM.2013.6732536>

