

TAMAN SARI CULTURAL CENTER

REVITALIZATION Design of Plaza Ngasem Kampung Wisata Taman Sari
Area As Batik Workshop and Cultural Center with *Soundscape Experience*



INTERNATIONAL UNDERGRADUATE PROGRAM IN ARCHITECTURE

Directed by
Revianto Budi Santosa Dr. Ir., M.Arch

Design by
Kirana Nandang S B | 17512107



VALIDATION SHEET

Final Architecture Design Studio Entitled :

Revitalization Design Plaza Ngasem Kampung Wisata Taman Sari Area as Batik Workshop and Cultural Center with *Soundscape Experience*

Student's Full Name : Kirana Nandang Sadhani Bantilan

Students ID : 17512107

Has been evaluated on and approved by : Yogyakarta, July 21, 2021

Supervisor

Jury 1

Jury 2

Revianto Budi Santosa Dr. Ir., M.Arch

Dr. Ing. Putu Ayu P. Agustiananda, S.T., M.A

Prof. Noor Cholis I., S.T., M.Arch., Ph.D., IAI


Acknowledge by
Head of Architecture Undergraduate
Program



Dr. Yulianto P. Prihatmaji, IPM., IAI

Statement of Authenticity

Here, I am Kirana Nandang Sadhani Bantilan, Undergraduate Program Students of Architecture Department in Universitas Islam Indonesia, as the author of this thesis book declare that all of this work part are original. I have not presented others person work words, ideas, and expressions, except those mentioned and all citated in references. if there is any statement within this book that proven false or did not follow the rules, I accept any consequences based on the regulation.



Yogyakarta, July 12th, 2021



Author

Kirana Nandang Sadhani Bantilan

Plagiarism Check



TABLE OF CONTENT

CHAPTER

1

PRELIMINARY

Design Premical
Background
Problem
Goals
Site Location

CHAPTER

2

LITERATURE REVIEW

Thematic Review
Tipology Review
Precedent Review

CHAPTER

3

DESIGN METHOD

Initial Design Method
Design Novelty

CHAPTER

4

ANALYSIS AND DESIGN CONCEPT

- A. TARGET AND AIM OF SOUNDSCAPE
 - Analysis target and aim of soundscape Plaza Ngasem and abandoned space
- B. HISTORICAL SOUND ELEMENT SOURCE
 - Mapping the soundscape of Plaza Ngasem and Taman Sari in the past until present
 - Mapping the soundscape of Abandoned Space in the past until present
- C. SITE ANALYSIS
 - Analyzing the landscape Plaza Ngasem and Abandoned space
 - Analyzing the existing of abandoned space
- D. DESIGN CONCEPT EXPLORATION AND STRATEGY
 - Analyzing the room programming and needs of functioned space
 - Spatial space organization
 - Building mass and landscape concept
 - Soundscape production

CHAPTER

5

SCHEMATIC DESIGN RESULT

Connection in urban neighborhood (Situation)
Site plan
Landscape concept
Building mass layout concept
Building form concept
Light weight structure
Circulation and movement in pavilion
Acoustic parameter
Soundscape and pavilion
Manage existing amphitheater
Showroom and performance lighting concept
Design evaluation I-Simpa
Design evaluation of Noisetool
Design evaluation from Head of Batik Paguyuban Taman Sari

CHAPTER

6

EVALUATION AND REFLECTION

Critics and questions from juror
Lesson learning
Conclusion

CHAPTER

1

PRELIMINARY

Design Premical

Background

Problem

Goals

Site Location

Design Premical



The fact that Taman Sari complex having a high quality one of the most beautiful historical building and visually breathtaking makes the other human senses role and their experiences questioned. Human hearing sense often to neglected since sound is relatively heard every time, every seconds, every hour and everyday. However, sounds is having characteristic in delivering the condition of space, language of experiences which telling the ambiance story, stimulating human brain to creating perception depend on the physical, environment and social. It is creating a soundscape to experiencing places. With soundscape features, context, classification, perception and sensing place, it will helping people to learn and aware to the history value of space. This theory will be a design guidelines for architecture realm.

One of historic value of Taman Sari area is Taman Sari inhabitant Batik creation which is the attraction toward visitor is decreasing. Using soundscape to experience historic value will increasing attractiveness of visitors to learn.

Thus, it is needed to have a space design in order to accommodating the soundscape experience which supporting the theme of Taman Sari building using pavilion type. Pavilion responsive to changes in its geographical and historical environments. The pavilion may reflecting the context of geographical and social which where the pavilion is built and used.

Background

Why Kampung Taman ?

Introduction

Some of cluster Shop house at Kampung Taman is heritage and some is new shop house. It is hereditary from family. “ I’m here from child until now to continuing my art work which is hereditary from my family. My blood is into the art. Until now on, my father still doing the art work on his own place.” (Iwan Setiawan, Owner of Batik’e Lek Iwan,2021).

Why?

- **LACK OF AWARENESS TO PRESERVE TAMAN SARI HISTORY HEREDITARY**

In the past, Batik is used by abdi dalem to meet with Sultan either to daily activity. “ Abdi dalem painting their own batik jarik to be used during meeting with Sultan. Every batik jarik motif having different meaning and position. Usually, the lower position using Lurik.” (Ipung,Abdi dalem, 2021). Abdi dalem in Taman Sari still continuing to bequeathing their title as Abdi dalem to their family and also the batik lukis jarik. In this time, not all people who live at surrounding Taman Sari complex is abdi dalem. Only a few of people who willing to be abdi dalem. Either with batik lukis, only a few of painters still continuing their work.

- **LIMIT SPACE IN SHOP HOUSE**

Not all of shop houses land owned by the users. Some of them is rented house about 10 m x 6 m and magersari land about 5 m x 10 m (title for land which the users live at the land that owned by Keraton and ready to give back the land if there’s a command from Keraton). “ The space is very small. I use the showroom either as space for working the art. In this house, there is one bathroom,.....



Batik'e Lek Iwan
Owner
Iwan Setiawan
47 years old
source : Author,2021



Ipung
Abdi Dalem Taman
Sari (grand daughter
of Djoko Moelyo)
source : Author,2021



Aguswati
Owner
Daniels clothing
52 years old
source : Author,2021



Background

Why Kampung Taman?

Why?

....., one bedroom and one kitchen only.” (Agus, owner shop house). Keraton giving a rules to the people who live in Magersari land to not having a full wall. It's have to half wall and half wooden. Also, Kampung Taman people may built building 12 meter until the highest top point of roof.

- **LACK OF BUYING INTEREST AND RESPECT TO HISTORICAL ART WORK**


“I think visitors not giving attention to our shop house since it is less attraction in our shop house. The space also needed to give more movement to people when visit our art work. It will really good if there is something that we can offer to visitor and make them attracted.” (Eni, owner shop house). The shop house owner was realize and worried about their job when buying interest from visitors are lack and less respect of art work value. It will threatening their livelihood since it is their main income.

- **ABANDONED SPACE**

The abandoned space formerly is a city waste water treatment and now located at Bantul (Kampung Taman parking guard). In this time, this area is used as an access to go to parking area at west part for Kampung Taman people and visitors. Also, used for local people playing bird. there is a cage for bird. This area having no light and closed by abandoned office at north part and fort at east and south part.



Rented house for shop house
Source : Author,2021



The shop house in Magersari land
Source : Author,2021



Abandoned space at west part of Plaza ngasem (was formerly city waste water treatment)
Source : Author,2021

Background

Why Kampung Taman ?

Why?

- **LIMIT SPACE DUE TO HIGH POPULATION DENSITY**

Kampung Taman consist of houses with crowded density and narrow alley. This settlement was grow naturally surround Taman Sari complex.

“ There is no exact space for children and community to do such an event or activity. Children often to use space like Plaza Ngasem, pelataran at gedhong lopak-lopak, or keputran 2 yogyakarta elementary school at north part to playing game or sport activity.” (Vina, shophouse owner, 2021). She said that, she was selling groceries, snack, and others at keputran 2 yogyakarta elementary school. But, when pandemic she moved to her own house to sell the groceries.

- **LACK OF SOCIAL ACTIVITY**

Social activity is decreasing because of many aspect such as there is a limit land to have a social activities, competitiveness between seller of shop house is high in aspect of commercial, the houses at alley having compact solid form to have a communication.

The community doing discussion “Rembugan” at settlement pos ronda (patrol post) near sumur gumuling and lorong Taman Sari. It is just small space to do a discussion for people activity and others.



Children playing at Plaza Ngasem during afternoon
Source : Author,2021



Kampung Taman alley during afternoon
Source : Author,2021

Background

Why Kampung Taman ?

Why?

- **SENSE OF PLACE CHANGES IN KAMPUNG TAMAN**

People in current situation not realize that they live at historical and heritage area. They only knowing that it was historical. But, they only feels living in present condition with dense population, houses, and modernization. The sense of place in Kampung Taman is completely different with Taman Sari garden. It is seen at how Taman Sari producing a beautiful visual, certain sound element, and tactility in exploring the space.

“Soundmark changes resulted from a form changes of space which make mankind in the area difficult recognize the area in the past” (Noviandri,2018). The different appearance and form of Taman Sari and Kampung Taman creating a different sound element source to be delivered to visitors and community.



Kampung Taman Alley (Access route of visitors Taman Sari)
Source : Author,2021



Lorong Taman Sari
Source : Author,2021

Background

GENERAL BACKGROUND

Sight sense vs *hearing sense*

The fact that Taman Sari complex is one of the famous garden complex in Yogyakarta which is having aesthetic of architectural construction java - portuguese character, it makes the main visual attraction for tourist. Sight sense having high role to experiencing Taman Sari complex and it may neglecting others sense since the beauty of the building is breathtaking. Besides, based on my research of "Soundscape Experience at Pulo Kenanga and Lorong in Taman Sari Building 2020" it is confirm that Taman Sari complex having differences soundscape experience language with parameter of sound sources, ground level, building physic and physical environment. It is mean, that hearing sense in Taman Sari either having high role and each building may having different sound experience meaning.

The role of soundscape

Kampung Wisata Taman Sari having high potency in experiencing the space. But, the sound or hearing experience still ignored by visitors. The shop houses surround Taman Sari also having less attention. The lack of visual which triggering the experience and hearing senses to realizing the experience of space will make the visitors only passing through the shop houses and the path without experiencing the space. It is become the reason how the journey experience in between Taman Sari building is broke and creating a new overlapping feeling

Senses role in Batik shop house area



This complex mingle with settlement which either time by time gradually developing as creative industry and becoming the main income for people who living surround Taman Sari. Creative industry and the path surrounding Taman Sari often seen as supporting part of the building only. Since, the location and access of shop house is in an alley between building and narrow/crowded space. It is either becoming transition space between one building to another Taman Sari complex building. This space having less of visual attraction and soundscape experiences except the beauty and creativity of the product that they sell such as Batik Lukis Taman Sari, wayang kulit, and others craft.

The important of historical value delivery

Besides, the history value of Taman Sari complex garden need to be delivered properly to the visitors. If there is no media to delivering the value from building to human, the important of value awareness is ignored. With supporting the process of value delivery with media of soundscape experiences and cluster shop house which imaging and reflecting Taman Sari building, the journey of experiencing and receiving the value of Taman Sari building will connected and continued. Thus, the message will turning on the human feeling deeply to aware value about building history

Problem

NON-ARCHITECTURAL ISSUE

- LACK OF AWARENESS TO PRESERVE TAMAN SARI HISTORY HEREDITARY
- LIMIT SPACE AT BATIK SHOP HOUSE
- PRESERVING HEREDITARY ART WORK
- ABANDONED SPACE (FORMERLY CITY WASTER WATER TREATMENT)
- LACK OF BUYING INTEREST AND RESPECT TO HISTORICAL AND CONTEMPORARY ART WORK
- LIMIT SPACE DUE TO HIGH POPULATION DENSITY
- LACK OF SOCIAL ACTIVITY
- SENSE OF PLACE CHANGES BETWEEN TAMAN SARI AND KAMPUNG TAMAN

ARCHITECTURAL ISSUE

- LIMIT SPACE FOR ACCOMMODATING COMMUNITY SOCIAL ACTIVITIES
- LIMIT SPACE FOR SHOP HOUSE DISPLAY/SHOWROOM AND WORKING AREA
- SPACE FOR PRESERVING CULTURE AND HISTORICAL INHERITANT
- WORKSHOP AREA FOR INCREASING PEOPLE AWARENESS TO THE VALUE OF HEREDITARY ART WORK
- SPACE FOR CONNECT AND PRESERVE THE SENSE OF PLACE TAMAN SARI AND KAMPUNG TAMAN


GENERAL PROBLEM

How the layer history of space with soundscape approach will increasing value of culture and history experience through batik paguyuban workshop, public space and cultural performance in abandoned area ?


SPECIFIC PROBLEM

- 1 How to design a temporary space for showroom and workshop Batik paguyuban space in limit space area at Kampung Taman with history layer of soundscape ?
- 2 How to increasing awareness of visitors and inhabitant about culture and history value at Kampung Taman with soundscape ?
- 3 How to revitalize Plaza Ngasem amphitheater as public space and fashion and cultural performance with history layer of soundscape ?
- 4 How to revitalize the abandoned space at Pasar Ngasem area as workshop, educational and cultural center with history layer of soundscape ?

Goals



Site Location



THE SCOPE

Yogyakarta city is famous with the tourism spot which is Keraton (Palace) Yogyakarta area such as Malioboro, Masjid Gedhe Kauman, Alun-alun Lor, Alun-alun Kidul, Taman Sari complex.

Location of site at Kampung Taman, Patehan, Keraton district, Yogyakarta City. It is surrounding Taman Sari complex. Pasar Ngasem and Plaza Ngasem area which is northern part of Taman Sari. It is focused on west and north area of Kampung Taman with concerning several aspect such as;

Visitors/tourism main route

Custer shop house area which supporting Taman Sari complex tourism area

Ease in access for Kampung Taman people and visitors

Available space to be developed

Site Location

Taman Sari Garden Complex

Introduction

Taman sari complex was built during the era of Sultan Hamengkubuwono I (HB I) in 1758 - 1765. At first, this garden was called "The fragrant garden" which has an area of about 10 hectares with 57 buildings that have various functions, functioned as buildings, ponds, baths, suspension bridges, water canals, and artificial lakes along with artificial islands and underwater passages. In the past, this garden was still in use during 1765 - 1812 which the main door was in the southwest of the Kedhaton complex to the southeast of the Magang complex. Now, there are only about 22 buildings left, which in the southwest of the Kedhaton complex.

Plan


The Taman Sari Garden Complex is divided into 4 sections.

- The first part is the main place which is the most exotic. consists of an artificial lake, Pulo kenongo building in the middle of the lake, Pulo cemethi and Sumur Gumuling .(west area)
- The second is southern part consists of gedhong gapura hageng, gedhong lopak-lopak, umbul pasiraman, gedhong gapuro panggung, gedhong temanten and gedhong sekawan (the building in this area is still intact and preserved)
- The third part is only a few intact, namely the complex area of Pasarean Dalem Ledok Sari and the Garjitawati Pond. (this building is still preserved)
- The fourth is southeast part, the artificial lake and the building in the middle, the garden around the artificial lake, the large canal that connects the artificial lake with the artificial lake in the first part and a garden.



Taman Sari at 1859

Source : C. Buddhing, Geschiedenis van Nederlandsch Indië atau "Sejarah Hindia Belanda"



Taman Sari Yogya Plan


Source : Kratonjogja.id

Site Location

Taman Sari Garden Complex in the past



MW. Citro Mardowo/Djoko Moelyo
Sesepuh abdi dalem Taman Sari complex
93 years old
Source : author,2021



Taman Sari Complex in the past 1765
Picture : taken by Author from Pak Joko (Abdi Dalem),2021

 Garden of vegetables and fruit

“This is the original of Taman Sari complex maps. The west part of Gedhong Lopak-lopak was a gate as Paseban (entrance) of Taman Sari complex. It was surrounded with kebun (garden) start from kebun mangga, naga, sayur-sayuran (vegetable), Duku, Kepel and others. So, why it was called as Taman Sari because this area half of lake and half of garden.”

Site Location

Kampung Taman and cluster shop house


Introduction

The settlement which mingle with Taman Sari Complex is Kampung Taman. People who living there having a creative industry especially batik and craft characteristic of Taman Sari history which is their main income.

History

“In the past, Kampung Taman area is a garden and artificial lake of Taman Sari Complex. But, after the building collapse because of England military attack at 1812 and also the earthquake.” (Ipung,Abdi Dalem,2021). After the tragedy, Taman Sari Abdi dalem start to build their houses side by side with Taman Sari complex.

“It is their duty to preserving and treat the rest of Taman Sari complex. They start to build and bequeathing that land and house to their inheritant. Thus, some of the houses at Kampung Taman is inherited land hereditary until now.” (Ipung,Abdi dalem, 2021). Keraton having an agreement to some people and abdi dalem who live at Taman Sari complex. Magersari is a title for people who live at the land which the owner of land is Keraton. So, when the Keraton have to have back the land, the people who live there must agree if they have to move. (Ipung,Abdi dalem,2021)



Kampung Taman alley
artificial lake area
Source : author,2021



Kampung Taman alley
artificial lake area
Source : author,2021

Site Location

Plaza Ngasem

Plaza Ngasem function

Plaza Ngasem located at southern part of Pasar Ngasem and northern part of Pulo kenanga Taman Sari. It is a space for held a cultural and others festival or event. Completed with seating area and stage formed half of circle. Plaza Ngasem also used for daily activity for children playing games or public space for community surrounding relaxing.



Existing site

Source : Google earth by author, 2021

- Kampung Taman community parking area
- Abandoned space (City waste water treatment)
- Plaza Ngasem
- Main street
- Entrance access

Abandoned Space

History

The abandoned space located at west part of Plaza Ngasem and north west of Pulo Kenanga Taman Sari. Formerly, it was a city waste water treatment system. All of the waste water will delivered here to be treated. People surrounding believe that this is a historical waste water treatment and need to be preserved So, they think better if they let the space as it is and do nothing to that space (Revianto,2021). This space contain of a waste water treatment place and the office to supervised the work.



Existing abandoned space

Source : Google earth by author, 2021



Existing plaza ngasem

Source : Google earth by author, 2021



CHAPTER

2




LITERATURE REVIEW

Thematic Review

Tipology Review

Precedent Review



Thematic Review

FEATURE OF SOUNDSCAPE

Principles

Discovering the features of soundscape is the first step to know how the sound dominated human hearing, such as

- Keynote sound is a sound with particular composition and tone. This sound become listening habits or it is a sound which exist in common unconsciously. Such as water, wind, forest, plains, birds, insect and animals.

- Signals sound can be listened consciously. Such as horn, bells, sirens.

- Soundmark sound is a unique sound to recognizing some place or area. It is a special sound which refer to a certain community. Such as church, mosque call to prayer.

SOUND CLASSIFICATION

Sounds may be classified in several ways:

- according to their physical characteristics (acoustics) or the way in which they are perceived (psychoacoustics) is presenting general physical description of sound. it is giving information of is the sound distance far or close, strong or weak, clear or blur, and other.

- according to their function and meaning (semiotics and semantics) or according to their emotional or affective qualities (aesthetics) sound affecting individual differently. This part is subjective but meaningful result. The sound might pleasing or displeasing, phobias to certain sound, undesirable sound, and others.

SOUNDSCAPE AND FORMAL AESTHETIC OF ARCHITECTURE BASIC FORM

Principles

Basic form is strengthening people's perception in soundscape application with primary element of point, line, plane and volume.

a. point

it is showing a focus point of sound source. It is exist in the environment as an active element. The visual will dominating the space.

b. line

in architecture commonly used to describe path and expressing the direction, movement and growth. It is also describing the edges between spaces. The sound is coming along with the line of sound sources.

e. plane

it is often draw as a wall element to mask other sound objects. Sometimes plane used to blocking or masking the undesirable soundscape. it is also creating a aural space for individual no longer can hear their own movement, speech. They will focus on what they see and hear.

f. Soundscape and organization of space it is combination of space organization. The space may don't move. But, when human move, the sound is move and it is creating a feel of changing space.

Thematic Review

SOUNDSCAPE

Introduction

Soundscape is a sound or noise in a place created by natural element or artificial element context surrounding (physical environment) which is make human feel living in it. Soundscape experience is how human involve and participating with the sound from physical surrounding which affect on human feeling, mind and perception. The

Soundscape experience will be a language to translating the meaning of place making. It will be the language to speak what the ambience of space is refer to. It is creating a perception in human mind through element of sound. With sound human will drowned to brain stimulation to knowing the meaning of each sound.

Aim of Soundscape The aim of soundscape experience is for increasing the quality of how visitors will deliver the history value of Taman Sari building within cluster shop house area. So, it is continuing the experience from Taman Sari building to shop house area which designed to have a similar soundscape experience with Taman sari building.

The aim of soundscape such as

- Stimulating the brain of human to have a perception of sound element that they heard
- Translating the language of each sound to what it is referred to
- Delivering the message of ambience in space
- Creating an awareness of certain value (depend what space it is)
- Identify and define sound perceived
- Identifying and defining space



Gallery of Soundscape
Source : Archdaily

Thematic Review

SOUND CONTEXT

Aesthetics/context Study of sound separated into acoustics and psychoacoustic used for physicist and engineer, semantics and aesthetics used for linguist and communicator. The two sound having different physical and resulting different meaning of aesthetic responses. The listener will ease to differentiate the meaning of sound. But, it is will give another respond of aesthetic if there is a identical sound but differ meaning or vice versa which different sound but same meaning.

Sample sound	Acoustic	Psychoacoustic	Semantic	Aesthetic
Alarm bell	Sharo attack, steady-state with rapid amplitude modulation narrow band noise on center frequency of 6,000 hz ; dB	sudden arousal; continous high pitch loud ; decreasing interest; subject to auditory fatigue; sensitive pitch area	alarm signal	Frightenin g, unpleasan t, ugly
Flute music	Interrupted modulation of shifting frequency;near pure tones with some presence of even harmonics; varying between 500 and 2000 hz ; 60 dB	Active patterned sound of shifting pitch melodic contour; pure tones ; high register ; moderately loud	Sonata by J.S bach inducemen t to sit down and listen	Musical, pleasant, beautiful

Table 1. Sound context different physical sound. Schafer,R.Murray. Book : The Soundscape our sonic environment and the tuning of the world (161)

According to Schafer, R. (1977) “ Here two sounds with similar, but not identical, physical characteristics appear to be identical in perception, but nevertheless cause no confusion in meaning and accordingly have different aesthetic effects. Their contexts keep them clear. But when they are removed from their contexts in tape recordings, they may quickly lose their identities. Nor is the ear acute enough to be able to distinguish whatever differences may exist in their physical structure.”

The two sound is similar, but having different meaning and aesthetic effects. The context make them clear. But, if the sound removed from the context the identities of sound will disappear and resulting different respond

Sample sound	Acoustic	Psychoacoustic	Semantic	Aesthetic
Kettle boiling	Colored noise; narrow band (8000hz) steady state; 60 dB	High pitched hissing sound	Tea is on	Pleasing
Snake hissing	Colored noise; narrow band (7500 hz); steady state (occasionally intermittent); 55dB	High pitched hissing sound	Snake prepare to attack	Frightening

Table 2. Sound context identical sound different meaning. Schafer,R.Murray. Book : The Soundscape our sonic environment and the tuning of the world (163)

Thematic Review

PERCEPTION

Introduction

Perception is how to identifying and interpretation sensory information to give a image and understanding to environment. Perception either involving the signal of nervous system.

The process of perception occurred in several step such as;

1. Stimulation


Perception happened when receptor or senses of human receiving stimulation from their surrounding

2. Registration


Human may see, hear, touch, smell and other if there is information received by individual then listing all information.

3. Interpretation

Process of translating or give meaning to stimulus which received by senses. This process depend on how the individual perceived and deal with the stimulus. So, different people may have different interpretation.



Thesis program museum
source : taliacannistra.wordpress.com



. Sense of place
Source : Steele, 1981

SENSES OF PLACE

Sense of place is an specific experience feeling in certain place or setting by individual. When human doing activity or interaction toward the space, it will resulting a reaction to human body such as feeling, behavior , perception and others. It is depend on what kind of place. "...Soundscape research is highly subjective as listening to sound sources is an activity that is arranged and comprehended by the human mind. Therefore, sounds interact and intervene in the connections of listeners and context; yet sounds are also influenced by physical, environmental and social elements". Truax,B (1996). The three element is important to influencing human sense of place.

Thematic Review

REGULATION REVITALIZATION HERITAGE AREA

PERATURAN TEKNIS KAWASAN BUDI DAYA PERATURAN MENTERI PEKERJAAN UMUM NO.41/PRT/M/2007


1. Kawasan peruntukan pariwisata
- Jenis obyek wisata yang diusahakan dan dikembangkan di kawasan peruntukan pariwisata dapat berupa wisata alam ataupun wisata sejarah dan konservasi budaya.
- a) Fungsi utama
- Kawasan peruntukan pariwisata memiliki fungsi antara lain:
- 1) Memperkenalkan cagar budaya
- 2) Mendukung penyediaan lapangan kerja untuk masyarakat sekitar
- b) Kriteria umum dan kaidah perencanaan:
- 1) Ketentuan pokok tentang pengaturan, pembinaan dan pengembangan kegiatan kepariwisataan mengacu kepada Undang-Undang Nomor 9 Tahun 1990 tentang Kepariwisata;
- 2) Kegiatan kepariwisataan diarahkan untuk memanfaatkan potensi-potensi alam, budaya dan adat istiadat
- 3) Kegiatan kepariwisataan harus memiliki fungsional dan industri kecil sekitar
- 4) Pemanfaatan lingkungan dan bangunan cagar budaya untuk kepentingan pariwisata, harus memperhatikan kelestarian lingkungan
- 5) Pengusahaan situs benda cagar budaya sebagai obyek wisata dapat membantu masyarakat sekitar
- 6) Ketentuan tentang penguasaan, pemilikan, pengelolaan, dan pemanfaatan benda-benda cagar budaya diatur dalam Undang-Undang Nomor 5 Tahun 1992 tentang Benda Cagar Budaya dan Peraturan Pemerintah Nomor 10 Tahun 1993 tentang Pelaksanaan Undang-Undang Nomor 5 Tahun 1992 tentang Benda Cagar Budaya;
- 7) Pada kawasan peruntukan pariwisata, fasilitas fisik yang harus tersedia meliputi jaringan listrik, telepon, jaringan jalan raya, tempat pembuangan sampah, drainase, dan saluran air kotor;
- 8) Harus memberikan dampak perkembangan terhadap pusat produksi seperti kawasan pertanian, perikanan, dan perkebunan

Tabel 12 Karakteristik kawasan peruntukan pariwisata

No.	Jenis Wisata	Kriteria Teknis		
		Fisik	Prasarana	Sarana
1	Wisata Alam			
	Wisata Pegunungan	<ul style="list-style-type: none">• Luas lahan minimal 100 Ha• Mempunyai struktur tanah yang stabil• Mempunyai kemiringan tanah yang memungkinkan dibangun tanpa memberikan dampak negatif terhadap kelestarian lingkungan• Iklim sejuk (di atas 700 dpl, atau suhu <20°C)• Mempunyai daya tarik flora & fauna, air terjun, sungai, dan air panas	<ul style="list-style-type: none">• Jenis prasarana yang tersedia antara lain jalan, air bersih, listrik, dan telepon• Mempunyai nilai pencapaian dan kemudahan hubungan yang tinggi dan mudah dicapai• Tidak mengganggu kelancaran lalu lintas pada jalur regional	<ul style="list-style-type: none">• Tersedia angkutan umum• Jenis sarana yang tersedia yaitu hotel/penginapan, rumah makan, kantor pengelola, tempat rekreasi & hiburan, WC umum, mushola, poliklinik, dan wartel• Gaya bangunan disesuaikan dengan kondisi lingkungan dan dianjurkan untuk menampilkan ciri-ciri budaya daerah
	Wisata Bahari	<ul style="list-style-type: none">• Mempunyai struktur tanah yang stabil• Mempunyai kemiringan tanah yang memungkinkan dibangun tanpa memberikan dampak negatif terhadap kelestarian lingkungan• Mempunyai daya tarik, flora & fauna aquatic, pasir putih, dan terumbu karang• Harus bebas bau tidak enak, debu, asap, serta air tercemar	<ul style="list-style-type: none">• Jenis prasarana yang tersedia antara lain jalan, air bersih, listrik, dan telepon• Mempunyai nilai pencapaian dan kemudahan hubungan yang tinggi dan mudah dicapai dengan kendaraan bermotor• Memperhatikan risiko bahaya dan bencana• Perancangan sempadan pantai yang memperhatikan tinggi gelombang laut	<ul style="list-style-type: none">• Tersedia angkutan umum• Jenis sarana yang tersedia yaitu hotel/penginapan, rumah makan, kantor pengelola, tempat rekreasi & hiburan, WC umum, dan mushola• Gaya bangunan disesuaikan dengan kondisi lingkungan dan dianjurkan untuk menampilkan ciri-ciri budaya daerah

PERATURAN TEKNIS KAWASAN BUDI DAYA PERATURAN MENTERI PEKERJAAN UMUM NO.41/PRT/M/2007
source :
http://landspatial.bappenas.go.id/komponen/peraturan/the_file/permen41.pdf

Yogyakarta district, regulation



Thematic Review

REVITALIZATION

Introduction

Revitalization is defined as many-sided effort including revalorization, restoration, reconstruction, modernization, and actions aimed at revival of as building, district or a town devastated in various aspects, also economic and social [Pawłowska and Swaryczewska 2002]. K. Skalski, moreover, determines the factors, such as society, local and state authorities, and other institutions, that can initiate and shape the development processes of a given area [Skalski 1996].

Revitalization also defined as an effort to conserve an existing to make it to be beneficial and good to used.

Revitalization having different place variables to deal with such as building, sites, city. The benefit of revitalization to the society in aspect of government, public, and economic interest.

1. Government interest

- Maintain cultural asset to preserved
- Making new cultural landmark
- Engagement for public in heritage place

2. Economic interest

- Opportunities for job (increasing)
- Tourism new resources
- Appropriate use in land resources

3. Public interest

- Character and local culture retained
- Improving existing in urban environment
- New resources in cultural aspect for public
- Awareness of cultural heritage increase

How does revitalization benefit the society?



Revitalization benefit to society

source :


<https://www.slideshare.net/alihyder790/conservation-and-revitalization-of-historic-buildings>

Thematic Review


COMPARING BATIK SELLER HOUSE LAYOUT

Study case

BATIK SELLER HOUSE IN KAMPUNG TAMAN




Sample layout Mr.Agus shop house at Magersari land
source : Author,2021



Sample layout raw sketch Mr.Iwan shop house at Rented house

BATIK SELLER HOUSE IN KAMPUNG BATIK JETIS SIDOARJO



Production space layout batik amri
source : Irma Fitriyani, 2015

- DIFFERENTIATION** Space differences between batik seller house in Kampung Taman, Yogyakarta and Kampung Batik Jetis, Sidoarjo such as;
- House space dimension
 - Space dimension needed
 - Space needed
 - Land of house owner

So, the differences based on the function of space, and space needed.

Thematic Review

PAGUYUBAN BATIK KAMPUNG TAMAN

History

- **1970**

From sources it is mentioned that the first or volunteer of Batik art in Kampung Taman is Harjiman since 1973. He lives there and develop batik knowledge to Kampung Taman teenager. He also creating paguyuban batik at Taman Sari which called Sanggar Kalpika. But, Sanggar Kalpika only for Kampung Taman inhabitant. Not for public.

- **1976 - 1983**

Batik lukis Taman Sari become famous and developed very well. This is become a Batik center in Yogyakarta. 90% of Kampung Taman inhabitant become batik painters.

- **2017**

The painters of Kampung Taman is lessen. from 90% now only left about 10-25 % only. The value of batik lukis lessen time by time.

Process making

- **SKETCH**

Drawing/sketching the design on the fabric

- **MBATIK**

Start to use canting to take the wax and layering the sketch with it

- **COLOURING**

Colouring the fabric with certain design

- **MBATIK**

Layering the first mbatik process to get maximum quality of wax molded on fabric

- **NGEBYOK/PELOROTAN (REMOVING WAX)**

Removing the wax and cleaning the fabric with hot water then wash again

- **DRYING**

Drying the fabric with aerated



Mbatik process
source :
<http://jogjatranstour.blogspot.com/2012/09/kursus-sehari-di-jogja.html>



Plorotan process
source :
<http://jogjatranstour.blogspot.com/2012/09/kursus-sehari-di-jogja.html>



Drying process
source :
<https://www.antarafoto.com/asia-n-games-2018/v1387631701/produksi-batik-terkendala-cuaca>

Thematic Review

PASAR PLAZA NGASEM ACTIVITIES

History

- **1765**

It is a artificial lake area which is Pulo Kenongo building area. It is used for Sultan Hamengku Buwono II sightseeing while looking at the beauty of the palace from outside the fort

- **1809**

Pasar Ngasem already there. They sell groceries for foods and Pasar Hewan which sell birds.

- **1960**

Pasar Ngasem identical with birds seller after bird seller from Pasar Bringharjo moved to Pasar Ngasem.

- **2010**

Pasar Ngasem relocated to Pasar Satwa dan Tanaman Hias Yogyakarta atau Pasty in Bantul

- **2013 - now**

Festival Kesenian Yogyakarta which usually held in Benteng Vredeburg relocated to Pasar Ngasem. Then, created a Plaza Ngasem



Pasar hewan
Source :
Wikipedia



Pasar Ngasem
In the past
Source :
Wikipedia



Plaza Ngasem
source : magnet
holidaysenjoy
yogyakarta

Thematic Review

BIRD VARIATION AT NGASEM BIRD MARKET

List of bird

This Ngasem bird market used for selling birds, birds show, or bird singing battle. There are many variety of birds in Bird Market Ngasem. Most of them are local bird such as

1. *Geopelia striata*

perkutut bird

2. *Pycnonotus aurigaster*

Kutilang bird

3. *Serinus canaria*

Kenari bird

4. *Pycnonotus zeylanicus*.

Cucak rawa bird

also lovebird, beo, betet, kepondang, emprit, jalak, hantu bird and many more. Not only local bird, but also imported birds such as poksay China, gelatik silver fromi Kanada and others.



Perkutut bird
Source: Portaljember



Kutilang bird
Source: greeners.co



Kenari bird
Source: Hewanee



Cucak Rawa bird
Source: burung cantik

Typology Review


PAVILION FROM ANCIENT TO MODERN

Introduction

Informal pavilion is appear in history of Roman Empire (200BC-1450 AD) as temporary tents set up during military operation resulting in the term of papilio which translates to butterfly, later evolving to the French Pavillon. It is used as canopy for sheltering.

In modern period, the function of tents used in many of aspect such as art, culture festive, shelter, and other. The form of pavilion time by time adjust with the function. Now, it is related with recreation and entertainment pavilion such as landscape park, fanciful garden, nineteenth-century architect style, boathouses, gazebos, pergolas, seats, cabinets, and other.

The structure of pavilion in common is simple structure which is 4 main column and beam to hold the roof weight. Time by time, the structure and form of pavilion is vary and resulting new tipology of pavilion. It is depend on the function, characteristic of it's place, or others consideration to be responded by pavilion design.



Plan of the main part of Holkham Hall, Plan of the main part of Holkham Hall (F) pavilion
Source: Wikipedia



Modern Pavilion
Source: inhabitant ; Tal Friedman's Origami Pavilion is an ultra-modern interpretation of an ancient art form




Ancient pavilion, A marble pavilion, Red Fort, Delhi
Source: Wikipedia

Typology Review


WHAT IS PAVILION?

Principles

what is a pavilion? Building that is either positioned separately or as an attachment to a main building. Pavilion might freestanding or connected by covered walkways. Pavilion also having meaning of emphasized by combination of change in height, profile, material and others. Commonly it is connected from one main building to another building, called as a tent, a structure connected to larger building. Pavilion often seen in outdoor area which is mingle with nature and landscape surrounding. It is often exposed to the environment. The pavilion is not static. It is not a single unchanging type; in fact, it is not a type at all. The pavilion is not only an amorphous thing, adapting to several forms and functions, but is also responsive to changes in its geographical and historical environments. The pavilion may reflecting the context of geographical, social which where the pavilion is built and used.




How pavilion space formed
Source : Big world under little tents journal



Pavilion structure

Source : <https://www.westerntimberframe.com/wooden-timber-pergolas/wooden-pergola-kits/timeless-red-cedar-diy-pavilion-w-outdoor-kitchen/>



Pavilion assembly

Source : <https://www.pinterest.fr/pin/598134394250127820/>

Typology Review

AMPHITHEATER FROM ANCIENT TO

Introduction

Amphitheater is a freestanding structure of round, oval, central, arena or others with seats concentrically placed around it. The way the seats and stage are design is depending on what are the function of the amphitheater is.

In ancient, Roman amphitheater date from middle of first century BCE. The most were built under imperial rule which is 27 BCE - 14 CE onwards. Roman amphitheater having an oval or circular plan with seating area around the performance area at central. It was used for blood games in Rome. It was a major public space for venues.

Modern amphitheater used to have a circular, semicircular or curved plan, particularly one located outdoors. with sloping seating, seating on only one side or round and stadium. Contemporary amphitheater often to have a standing structure behind the stage and audience used called as bandshells. it is creating an echo sound to the audience. so, that having ideal audio and performance especially for musical and theatrical.



Pompeii: amphitheatre, The amphitheatre at Pompeii, Italy
source : Britannica



FROST AMPHITHEATER RENEWAL, JAMES CARPENTER DESIGN
ASSOCIATES
source : The plan.it

Typology Review

AMPHITHEATER BASIC FORM

Principle

There are positive and negative of stage form

- **Arena stage**

Pos : Intimate performance, audience are close

Neg : View of point might be a problem. so there needs to be lots of movement around the space.

- **Proscenium theatre**

Pos : View point good and ease in access.

Neg : The audience can feel separated from the performance.

- **Thrust stage**

Pros : The audience feeling is included to the performance. it is creating an intimate atmosphere. Having one end part which is visible to all provides a 'back' to the stage.

Cons : Point of view can still be a problem.

- **Theatre in the round**

Pros : Having an intimate and exciting atmosphere. Audience feel included.

Cons : View point is different for every point. So, may trick the viewers.

- **Traverse**


Pros : The audience on both side can clearly see work that happens at two sides. The audience can see each other, creating intimacy.

Cons : The opposite sides of the audience might see two different shows and view point are still a problem

- **Promenade staging**

Pros : Can work excellent. Interesting experience for the audience.

Cons : Moving between locations can break the tension of the piece and take some time.



Stage layout
source : BBC.co.uk

Typology Review

FASHION SHOW PERFORMANCE

Principle

There are two type of fashion show performance

1. Open

Open performance without pay the performance for introduce new fashion.

2. Closed

Exclusive, only for people who pay or it is an artist design.

Fashion show stage consist of **stage** where the models come from backstage and **runaway** is for models walk through to show the fashion.

The stage of fashio also have many variation such as

1. T runaway

2. I runaway

3. X runaway

4. U runaway

and many more. it is depend on the function and theme of fashion in every performance show.



Stage layout I
source : pinterest



Stage layout U
source : pinterest




Stage layout X
source : pinterest

Precedent Review

"A Thousand Yards" Botanical Pavilion Beijing, China

FIRM : Precht
TYPE : Cultural › Pavilion
STATUS : Concept
SIZE : 300,000 sqft - 500,000 sqft

The pavilion using path as visitors guidance to the center plaza which is become the major pivotal point and also meeting spot for visitors. Then, the next destination is pavilion which have a foodcourt with a restaurant, a bar and several teahouses and a Multipurpose hall, a large indoor greenhouse for several untypical plants and a centre of education also exhibition. All functions are connected to space on their lower 2 floors and outside gardening units on the roof.



Multifunctional Hall
Restaurant
Exhibition
Lab & Education
Green House

多功能厅
餐厅
展览
实验室
温室

In order to create a village-like typology, we took the areas of the program and fragmented it into different zones. 为创建类似村庄形态，我们将计划的地块来分割成不同的区域。

A thousand yards Botanical village in Beijing project, Images Source : Archdaily

Precedent Review

Village : This pavilion as a network between small scale unit which bring village-like typology that can be explored freely by visitors. Every small scale unit makes the space having speciality to happen at each corner. Village typology creates diversity, unexpected connections, and the curiosity to discover the unforeseen.

Flexibility : The masterplan was inspired of urban planning in ancient chinese cities. Using traditional urban orientation, zoning and infrastructure. Then, implement them in pavilion typology. Taking the ancient Chinese “Li” (an old area-measurement) as basic unit and developed a modular system of 8x8m units around it. It’s creating flexibility in explore the module.


Interweaving of Architecture and Nature:

The building and yards correlated with one another to create a symbioses between architecture and the yards. Yards are having various functions, from ping-pong tables or children playgrounds for the active guests to themed gardens.


Visitors Participation /Design with Nature:

Visitors may participate with the design with nature. Visitors will get package of seeds and ask to plant the vegetables, herb and others at the roof top. Ramps connecting the green roof to the public areas of plazas and yards, makes the visitors leave their ecological impact in their own way on pavilion. The result of plants will be harvested by the pavilions staff and prepared into healthy dishes in the restaurant area.


Village




Flexibility



Interweaving of Architecture and Nature



Visitors Participation / Design with Nature



Precedent Review

Redevelopment of MaoGong Barn Art Center / Approach Architecture Studio


Architects : Approach Architecture Studio

Area : 3000 m²

Year : 2016

The main design strategy is the open space courtyard utilization between the existing buildings and the road, and treat the space between the corridor and the courtyard as the buffer zone. Arranged old barn houses and surrounding old building as cultural space with local handcraft and agricultural product showrooms, together with artists' workshops, studios, catering gifts, and other ancillary facilities.

Implemented with local traditional techniques and material, exterior part which is the corridor between noisy highway the quiet exhibition hall, and it divides the existing outdoor space into three courtyards of different sizes, shapes and purposes.



Precedent Review

Children Village / Rosenbaum + Aleph Zero

Architects : Aleph Zero, Rosenbaum

Area : 23344 m²

Year : 2017

This project concern about transformation, cultural rescue and encouragement of local constructive techniques also development for children of the Canuana school. It is an existing complex also potential for the ideas of belonging students to Canuana. This is a learning space which prioritize home value.



Children Village / Rosenbaum + Aleph Zero image
Source : Archdaily



Precedent Review


Growing Up Pavilion / New Office Works

Architects : New Office Works

Area : 240 m²

Year : 2019

Hongkong fundamental element. The sloped roof using supporting series of timber column. It is showing a grow from an intimate human scale to harbor scale. The stepped landscape also shows the city hilly topography which providing both seating and stage for vary activities. Besides of the form which more to simple volume, each of the pavilion angle are revealing the different sense of porosity, materiality and scale. It is having a transparency characteristic at the north and south elevation, also having background of seamless trees. The repetition of column makes it overlap in perspective and it is framing the waterfront view.



Precedent Review

Detroit Soundscape : Urban Acunpuncture

TYPE : Installation


STATUS : Concept

Detroit city

Begin from the lack safety of pedestrian and making the pedestrian presence is low. Creating the sidewalk with spatial and social condition. It is resulting visibility of local bussiness and cultural activity. it is strengthen the identities of commercial districts.

Work with local business and aligning themselves with local performers, the business will obtain an additional avenue to self promotion while additionally establishing themselves as active supporters of their community. Strengthen the sense of community with street performer which gathering the community individuals.

The implementation of acoustically system. performance create a draw to the business and encourage people to linger at the business. During non-perfomance time the installation will continue open as a public space or social space. it's might occupied by musicians, people relaxing, or others. it is serving all the people needs in street.



CHAPTER

3

DESIGN METHOD

Initial Design Method

Design Novelty



Initial Design Method

Data Gathering Method

Observation

Direct observation to the site location with taking several photos and sketches. Observing the cluster shop house layout, waste water treatment location, and plaza ngasem existing element.

Interview

Interview with several resources person such as Ketua paguyuban Batik Taman Sari, shop house owner, visitors, tour guide and people living there.

Data Analysis

Analyzing the real condition of site location especially waste water treatment area and Plaza Ngasem amphitheater physic. The condition of cluster shop house economy.

analyzing:

- The soundscape experience on Taman Sari complex mapping
- Mapping the changes of soundscape in the past and present
- Analysis the existing site to be revitalized

Design Concept


The design concept is result of analysis which is the physic of site, shop houses owner, experience of place, and others.

Literature Review


Observation on literature review which is supporting the theory of soundscape experience approach, Taman Sari Garden Complex, Amphitheater, and others.



Initial Design Method



Initial Design Method



Design Novelty

Title : **REVITALISASI TAMAN BUDAYA SUMATERA SELATAN
DI PALEMBANG**

Author : PUTRI MONICA SHELLEY

University : Universitas Sriwijaya

Year : 2017

Approach : Revitalization

Problem : How to plan and design Taman Budaya Sumatra Selatan as one of information center for art and culture, training space and art development as recreative space which able to be all educational space for community and tourism?

Title : **REVITALISASI NDONDONGAN With Vernacular
Approach for Social and Economic Improvement**

Author : Mutia Amelia Febriana

University : Universitas Islam Indonesia

Year : 2019

Approach : Revitalization

Problem : How to implement the principal of vernacular may facilitate the capacity, productivity abdi dalem and conectivity of visitors with maximally and creating better environmental quality?

Title : **PERANCANGAN PUSAT KEBUDAYAAN KAMPUNG
WISATA PANDEYAN DENGAN PENDEKATAN ARSITEKTUR EDUKASI**

Author : Arti Setyawati [1] Endah Tisnawati[2]

University : Universitas Teknologi Yogyakarta

Year : 2019

Approach : Cultural and education

Problem : How to design cultural center of Kampung Wisata Pandeyan with education architecture approach ?

Title : **REVITALISASI KAWASAN SEMPADAN SUNGAI
KAMPUNG BATIK LAWEYAN DENGAN PENDEKATAN ECO-
CULTURAL**


Author : SYANDY DIANTRISNA KUSUMA

University : Universitas Muhammadiyah Surakarta

Year : 2018

Approach : Eco-cultural

Problem : How to Revitaliza setback area of Kampung Batik Laweyan River with approach of eco cultural ?



CHAPTER

4

ANALYSIS AND DESIGN CONCEPT

EXPLORATION SITE CONTEXT

A. TARGET AND AIM OF SOUNDSCAPE

- Analysis target and aim of soundscape Plaza Ngasem and abandoned space

B. HISTORICAL SOUND ELEMENT SOURCE

- Mapping the soundscape of Plaza Ngasem and Taman Sari in the past until present
- Mapping the soundscape of Abandoned Space in the past until present

C. SITE ANALYSIS


- Analyzing the landscape Plaza Ngasem and Abandoned space
- Analyzing the existing of abandoned space

D. DESIGN CONCEPT EXPLORATION AND STRATEGY

- Analyzing the room programming and needs of functioned space
- Spatial space organization
- Building mass and landscape concept
- How soundscape produced

A.TARGET AND AIM OF SOUNDSCAPE


Analysis target and aim of soundscape Plaza Ngasem and abandoned space



B. HISTORICAL SOUND ELEMENT SOURCE

Mapping Historical Sound of Plaza Ngasem

Layer of Soundscape in History Space



B. HISTORICAL SOUND ELEMENT SOURCE

Mapping Historical Sound of Plaza Ngasem

Gamelan instrument

Introduction


Gamelan is an ensemble traditional music from Bali, Javanese, and Sunda. Consists of percussion instruments used in musical art. Javanese implement rasa in gamelan music making. Gamelan instrument will make unique atmosphere of sound to be received by human.



Gamelan instrument
Source : <https://paketwisatajogja75.com/paket-wisata-jogja-gamelan-orkestra-ala-jawa/>

Function of Gamelan instrument

In the past, gamelan functioned as amusement for kingdom, meditation for powerful people, or traditional ceremonies. Gamelan having special meaning in spiritual for meditation. It's increasing the spiritual emotion. Every gamelan sound will create *Rasa* (feeling) to people. Then, every *Rasa* have meaning or sense of perception which triggering the aural and spiritual emotion of person.



B. HISTORICAL SOUND ELEMENT SOURCE

Mapping Historical Sound of Plaza Ngasem

Gamelan Instrument

Introduction instrument

Yogyakarta gamelan instrument intended to soft and slow melody. It is reflect to javanese people who calm. It's giving a peaceful soul and mind.


choosing 4 element as theme of gamelan

- 1. Gambang
- 2. Gender
- 3. Gong
- 4. Kendang


Gambang consist of 18 wooden slats with 2 hammer and have mayor and minor music scale.

Gender have 10-14 metal slats. The hammer use wooden slats circle. Different tone depend on music scale used. there are 3 gender : *slendro*, *pelog* and *pathet nem* and *lima*, and *pelog pathet*

Gong and *Kendhang* to lead the other instrument.



Gamelan instrument variation
Source : brandbilda.com




B. HISTORICAL SOUND ELEMENT SOURCE

Mapping Historical Sound of Plaza Ngasem

Taman Sari Soundscape

List of sound

Zone	source	sound
A1	Motorcycle muffler sound from main street and human foot steps	74 dB
A2	Prayer siren sound from mosque, human steps and motorcycle muffler	65 dB
A3	Sound of people trading and music	65 dB
A6	Sound of visitors footsteps, water splash, bird chirping and human echo sound	64 dB
A8	Sound of water fountain fill the pond	58 dB
A9	Bird chirping, leaves and wind trees, music	56 dB
B1	Footsteps of horse and people sell food	71 dB
B10	Sound of bird singing high pitched, cricket sound	57 dB
C1	Sound of bird, wind, trees wind, motorcycle muffler	70 dB
C2	visitors footsteps, murmuring echoing	65 dB



Lokasi Pengukuran Area Dalam Taman Sari
Lokasi Pengukuran Area Luar Taman Sari

Taman Sari soundscape mapping
Source : Noviandri, 2018



Villagers community
Pulo Kenanga Boundaries
Lorong Taman Sari Boundaries
Taman Sari complex boundaries

Taman Sari soundscape mapping
Source : Kirana, 2020

Sound mapping table in Taman Sari
Source : Noviandri, 2018

C. SITE ANALYSIS

Site existing

Site calculation


BCR (KDH)	: 60% x 6.102 m2.	= 3.661 m2
FAR (KLB)	: 1,6 x 6.102 m2	= 9.763 m2
Building height max	: 16 m	
Green area	: 45% x 6.102 m2	= 2.745 m2

Respond to existing Preserving the existing of IPAL (waste water treatment area) such as the bridge pathway, waste water system, landscape, pavement, etc. The addition of structure will be using lightweight structure to make it stable and not ruin or demolishing the existing history.




Existing site condition
source : Author, 2021

PRESERVING EXISTING



C. SITE ANALYSIS

Site existing



Site location is northern part of Kampung Wisata Taman Sari. It is at waste water treatment and parking area for inhabitant and visitors which is currently abandoned and existing Plaza Nggasem amphitheater. With total site area is 6.102 m2.

C. SITE ANALYSIS

Site existing images

Water reservoir area



water stream/cannal



waste water treatment



PRESERVED EXISTING ELEMENT

fences



Landscape



waste water treatment



Existing site condition
source : Author, 2021

D. EXPLORATION AND STRATEGY

Room programming and needs

SPACE NEEDED CONSIDERATION

Batik workshop having split mass for accommodating the activity. The area of space depend on the activity in each space and the capacity of person in one pavilion not to crowded. The multi purpose pavilion is may used as gather space and indoor space for inhabitant doing their discussion or others activity. Amphitheater in Plaza Ngasem needed a supporting space to do the preparation when performance will be held.

ROOM PROGRAMMING

CLASSIFICATION	ROOM	m2	PERSON CAPACITY	BUILDING CAPACITY	TOTAL m2	TOTAL AREA m2
PUBLIC						
BATIK WORKSHOP	MBATIK SPACE	2 m2	10 ~ 15	1	30	283
	STORAGE	1 m2	5	1	5	
	PLOROTAN SPACE	4 m2	10 ~ 15	1	60	
	DRYING SPACE	4 m2	11 ~ 15	1	60	
	SHOWROOM/DISPLAY	4 m2	20 ~ 30	1	120	
	TOILET	2 m2	4	1	8	
MULTI PURPOSE PAVILION		2 m2	20	1	40	40
AMPHITHEATER	STAGE	4 m2	20	1	80	278
	AUDIENCE	2 m2	80	1	160	
	SOUND CONTROL	2 m2	4	1	8	
	LIGHT CONTROL	2 m2	5	1	10	
	DISPLAY ROOM	2 m2	10	1	20	
SUPPORT	DROP OFF AREA	24 m2	1	1	24	224
	WATER SPRING POND				200	

Room programming needed
source : Author, 2021

WORKSHOP GUIDE

Listing the batik painters surround Kampung Taman to know the availability of people to be the workshop guide. If batik painters join and making a group “Paguyuban batik kampung taman” it will increasing their income for livelihood and the cultural aspect increasing either.

LIST OF BATIK PAINTERS IN KAMPUNG TAMAN


RT/RW	NAME SHOP	VARIATION	
		CLOTH	FABRIC
KAMPUNG CYBER	WAROENG LOEKIS	●	
	BATIK'E LEK IWAN	●	●
	VOICE OF JOGJA	●	
	BATIK AYUNI TAMAN SARI	●	
	BATIK GRIYA SENTONG	●	
	KAIN BATIK TULIS NOOR		●
	DANIS CLOTHING KAOS LUKIS JOGJA	●	
	SANGGAR KALPIKA (CENTER)	●	●
	BATIK ASLI BU KARTI	●	●
	BATIK SENGENG	●	
	BATIK TENTREM	●	●
	BATIK PURNAMA	●	

List of batik painters in Kampung Taman category
source : Author, 2021

D. EXPLORATION AND STRATEGY

Room programming and needs


Batik production and display/showroom



D. EXPLORATION AND STRATEGY

Room programming and needs


Amphitheater Plaza Ngasem



D. EXPLORATION AND STRATEGY

Room programming and needs


Multipurposes pavilion



D. EXPLORATION AND STRATEGY

Spatial room organization

Batik workshop



If visitors want to do workshop, they will use work area of seller for certain activity such as **PELOROTAN AND DRYING** activity


Seller may use multi purpose hall as their showroom every day or if only there is an event

D. EXPLORATION AND STRATEGY

Spatial room organization


Batik workshop

PROBLEM



Space connection diagram
Source : Author,2021

STRATEGY




D. EXPLORATION AND STRATEGY

Spatial room organization

Batik workshop plan



1

BATIK
DISPLAY
PAVILION




2

MBATIK &
SKETCH
PAVILION




3

PLOROTAN
PAVILION



4

DRYING
FABRIC
PAVILION



D. EXPLORATION AND STRATEGY


Spatial room organization

Multipurpose pavilion

PROBLEM




STRATEGY



Space connection diagram
Source : Author,2021

STRATEGY



D. EXPLORATION AND STRATEGY


Spatial room organization

Amphitheater


PROBLEM



STRATEGY



Space connection diagram
Source : Author,2021



D. EXPLORATION AND STRATEGY

Visitors activities, respond and behavior toward

STRATEGY






Diagram visitors participation in site source ; Author,2021





Diagram visitors participation in site source ; Author,2021

D. EXPLORATION AND STRATEGY

Building mass and landscape concept

STRATEGY
SITE PLAN ORGANIZATION



D. EXPLORATION AND STRATEGY

Building mass and landscape concept

STRATEGY

LANDSCAPE RESPOND TO CREATE AND DELIVER SOUND

list of plants

Tree name :
Terminalia Catappa
Type : Shading trees



function block sound
enter or exit from source

Tree name :
Johar (Cassia siamea)
Type : Shading trees




function block sound
enter or exit the site


Tree name :
Bamboo
Type : Fence trees



shrubs to block the
sound



bird cage schematic
source : author,2021



source

Trees respond to sound
Source : Author,2021



Landscape as sound source
source : author,2021

D. EXPLORATION AND STRATEGY

Building mass and landscape concept

STRATEGY

WATER DRAINAGE ON LANDSCAPE

WATER SUPPLY PLANNING AND WASTE WATER TREATMENT

WATER REQUIREMENT CALCULATION

3) Kebutuhan air industri

Kebutuhan air industri → kebutuhan air untuk proses industri, termasuk bahan baku, kebutuhan air pekerja industri dan pendukung kegiatan industri.

Jumlah Tenaga Kerja	Klasifikasi Industri
1 – 4 orang	Rumah Tangga
5 – 19 orang	Kecil
20 – 99 orang	Sedang
> 100 orang	Besar

Besarnya standar kebutuhan industri adalah sebagai berikut :

Untuk pekerja industri kebutuhan air merupakan kebutuhan air domestik yang telah disesuaikan dengan kebutuhan pekerja pabrik, yaitu 60 liter/pekerja/hari.

Untuk proses industri, kebutuhan air diklasifikasi sesuai dengan tabel berikut ini.

Water needs for industrial
source :<https://www.slideshare.net/udhiye/kebutuhan-air-baku>


Kebutuhan Air Industri Berdasarkan Beberapa Proses Industri

Jenis Industri	Jenis Proses Industri	Kebutuhan Air (liter/hari)
Industri rumah tangga	Belum ada, rekomendasi dapat disesuaikan dengan kebutuhan air rumah tangga.	
Industri kecil		
Industri sedang	Minuman ringan.	1.600 – 11.200
	Industri es.	18.000 – 67.000
	Kecap.	12.000 – 97.000
Industri besar	Minuman ringan.	65.000 – 7,8 juta
	Industri pembekuan ikan dan biota perairan lainnya.	225.000 – 1,35 juta
Industri tekstil	Proses pengolahan tekstil.	400 – 700 liter/kapita/hari

Apabila data industri yang diperoleh adalah data luas lahan areal industri maka kita dapat menggunakan Kriteria Perencanaan Air Baku yang dikeluarkan oleh Direktorat Jenderal Cipta Karya (1994) sebagai berikut:

- Industri berat membutuhkan air sebesar 0,50-1,00 liter/detik/ha.
- Industri sedang membutuhkan air sebesar 0,25-0,50 liter/detik/ha.
- Industri kecil membutuhkan air sebesar 0,15-0,25 liter/detik/ha.

Water needs for industrial
source :<https://www.slideshare.net/udhiye/kebutuhan-air-baku>






D. EXPLORATION AND STRATEGY

Building form exploration


Batik workshop pavilion

STRATEGY


DRYING PROCESS
SUNLIGHT NEEDED






LANDSCAPE(ENVIRONMENT) SOUND ENTER BUILDING



WIND CIRCULATION AND SOUND DELIVERY



INDOOR CEILING AND WALL FORM (BUILDING RESPOND)




D. EXPLORATION AND STRATEGY

Building form exploration


Multipurpose Pavilion

STRATEGY


LANDSCAPE(ENVIRONMENT) SOUND ENTER BUILDING






PUBLIC SPACE (GATHER AREA)



PERFORMANCE AND EDUCATION AREA



DIFFERENT LEVEL OF BUILDING MASS




D. EXPLORATION AND STRATEGY

Building form exploration


Amphitheater

STRATEGY - AUDIENCE SPACE -



Plaza Ngasem Audience Space
Source : author, 2021

STRATEGY - STAGE SPACE -




Plaza Ngasem Audience Space
Source : author, 2021

D. EXPLORATION AND STRATEGY


SITEPLAN

Building mass organization



D. EXPLORATION AND STRATEGY

SITEPLAN




D. EXPLORATION AND STRATEGY


HOW SOUNDSCAPE PRODUCED

Sound acoustic panel


Concept



Acoustic panel wall and ceiling




Facade



D. EXPLORATION AND STRATEGY

HOW SOUNDSCAPE PRODUCED


Sound element source



D. EXPLORATION AND STRATEGY

HOW SOUNDSCAPE PRODUCED


Building responding soundscape with acoustic panel



D. EXPLORATION AND STRATEGY

HOW SOUNDSCAPE PRODUCED


Soundscape toward the building



D. EXPLORATION AND STRATEGY

HOW SOUNDSCAPE PRODUCED

Soundscape journey experience



CHAPTER SCHEMATIC DESIGN

5

Connection in urban neighborhood (Situation)

Site plan

Landscape concept

Building mass layout concept

Building form concept

Light weight structure

Circulation and movement in pavilion

Acoustic parameter

Soundscape and pavilion

Manage existing amphitheater

Showroom and performance lighting concept

Infrastructure system

Design evaluation use *I-Simpa*


Design evaluation use *Noisetool*

Design evaluation from Head of *Batik Paguyuban
Taman Sari*

CONNECTION IN URBAN

NEIGHBORHOOD

Situation



CONNECTING
ACTIVITIES

CENTER OF VARIES
TOURISM SPOT


COMMUNITY PUBLIC
SPACE



SITE CONNECTIVITY

SITE EXISTING AND NEW BUILDING

Site plan




- Existing removed
- New built

- | | | | |
|---|-----------------------|----|------------------------|
| 1 | Parking area | 9 | MEE room |
| 2 | Welcoming gapuro | 10 | Upper water tank |
| 3 | Ponds and garden | 11 | Toilet |
| 4 | Camelan pavilion | 12 | Batik material storage |
| 5 | Singing bird pavilion | 13 | Storage performance |
| 6 | Water pavilion | 14 | Stage |
| 7 | Multipurpose pavilion | 15 | Garden-sitting area |
| 8 | Drying pavilion | 16 | Preparation room |
| | | 17 | Display space |

LANDSCAPE


INTEPRATING TAMAN SARI LANDSCAPE

STRATEGY



GEOMETRICAL LANDSCAPE

The plants are planted in the pot, especially for plants that inside *IPAL* area which become an effort to not ruin and preserve existing. The pot is the characteristic of Taman Sari Complex. The way it is arranged following how Taman Sari planted the plants following the line of pavement or wall and buildings. Then, the execution of arrangement in here is following the existing line of pathway.




LANDSCAPE

INTEPRATING TAMAN SARI LANDSCAPE


STRATEGY

BLUE AND GREEN FEATURES


Interprate Taman Sari which is known as water castle and garden/park. the space which formerly waste water treatment changed into ponds, fountain and garden. The water circulate between two circle also used to watering the garden. There is a corridor and small pavilion which sheltering the visitors when explore this place. The wall and pathway from Taman sari garden transformed into a corridors. The pool for *Sultan* taking bath transformed into ponds. It will show them two memories between Taman Sari and *IPAL* area.




Taman Sari pool



Taman Sari garden






visitors movement



CONNECTION BETWEEN SPACE

Formerly *IPAL* area and plaza ngasem was separated with high wall. Here it is destroyed and connect the space with pathway and landscape. The plants planted in the middle of pathway. So, it is creating two access. Having two access in one space make the space connected each other in aspect of function, and human visual.




BUILDING MASS LAYOUT

INTERPRATING TAMAN SARI PLAN


STRATEGY

RESPOND TO THE EXISTING

The site existing having a pathway, waste water treatment area, and depth about 1.5 m . Responding the existing, The building mass layout following the major imaginary line of pathway and outer line of waste water treatment area. The building fill the gap or empty space between the existing pathway. Gives the pavilion gap or distance in between.




GEOMETRICAL PLAN The geometrical plan considered as the solution to mingle with the existing pathway shape. The irregular shape of pathway need to be balanced with geometrical shape. Geometry tend to give simple-look and well arranged layout. Taman Sari complex also having a strong geometry plan in landscape and building. So, it is representing Taman Sari complex as well.



SPLIT MASS

Taman Sari complex consist of pavilion or buildings which is separated or split mass. The pavilions are surrounded by garden and water features element. By dividing pavilion into 5 part, it will have maximal delivery of soundscape to pavilion interior and respond it directly.



BUILDING MASS LAYOUT

RESPOND TO BATIK SHOP HOUSE LAYOUT AND FUNCTION


STRATEGY

BATIK SHOP HOUSE FUNCTION

Based on the observation to Taman sari batik shop house, batik production steps consist of;

- MBATIK/SKETCH
- COLORING
- PLOROTAN
- DRYING
- DISPLAY

Different shop house having different way to produce their work. But, the general steps are the same. Implement the steps of production into building mass function to create characteristic of each building mass.





BATIK SHOP HOUSE ROOM LAYOUT

Based on the observation to Taman sari batik shop house, the layout of shop house in general is

1. SHOWROOM/DISPLAY ROOM
2. WORKING ROOM (Sometimes it's in one with showroom space)
3. PLOROTAN ROOM (at bathroom)
4. DRYING ROOM (outside of house)


it is creating a hierarchy of place from public to private, from open to closed. Arrange the hierarchy from the entrance.



BUILDING MASS LAYOUT

RESPOND TO BATIK SHOP HOUSE LAYOUT AND FUNCTION

RESULT




BUILDING FORM

NEW FACE OF TAMAN SARI


STRATEGY

TAMAN SARI FORM The form of Taman Sari plan and building is geometrical and give simple-minimalist-look. Taking the most striking shape of Taman Sari which is the roof of buildings and octagonal shape of *pelataran gedong lopak lopak*.


The octagonal shape appearance is strong which make it stand out to stand by itself. To balancing the form of octagonal shape plan using stand out roof shape of Taman Sari buildings either with the ornament at each corner.



Octagonal shape







Roof shape of taman sari



For plan shape, shrink the diagonal line of octagonal shape to get 4 wide space and 4 vertical horizontal focus point. Visitors will have a different view point in each direction (Not equal size of each corner).

The roof of Taman sari having 2 separated roof which is the main roof and the small roof for welcoming space. Transform that into 2 layer of roof level in perpendicular arrangement. Then, split the main roof to have strong appearance and pull the small roof into big main roof to cover the gap between split roof.



FINAL FORM
NEW MARK OF
BUILDING FORM IN
TAMAN SARI

BUILDING FORM

NEW FACE OF TAMAN SARI

RESULT

GAMELAN PAVILION

MAINTAIN MAIN FORM OF TAMAN SARI ROOF

SKYLIGHT AS NATURAL LIGHT PENETRATION

1st ROOF LAYER HAVING ELONGATED TIP CORNER AS VENTILATION SHADING OR COVER FROM RAIN WATER

THE ELEVATION OF ROOF SLOPE RESPONDING TO SOUND WILL DELIVERED

TWO LAYER OF ROOF WILL PROVIDE A WIND VENTILATION IN BETWEEN THE ROOF

APPEARANCE AS PAVILION ROOF WINGS (STRONG POINT OF VIEW)

STILT SLAB RESPOND TO THE EXISTING, NOT RUIN THE HISTORICAL SITE ELEMENT


MAINTAN THE FORM OF PELATARAN GEDHONG LOPAK-LOPAK

1st roof layer

32 Degree

2nd roof layer

octagonal form plan





BUILDING FORM


NEW FACE OF TAMAN SARI

RESULT

SINGING BIRD PAVILION

- MAINTAIN MAIN FORM OF TAMAN SARI ROOF
- SKYLIGHT AS NATURAL LIGHT PENETRATION FOR BIRD CAGE
- DECK FOR VISITORS INTERACTION BETWEEN OUTSIDE AND INSIDE PAVILION

Skylight



Deck


DRYING PAVILION

- MAINTAIN MAIN FORM OF TAMAN SARI ROOF
- REPRESENT *PENDOPO* STRUCTURE AND SHAPE
- OPENED PAVILION
- FENCES REPRESENT *JOGLO* HOUSE TERRACE AND *PENDOPO*

Open structure

Open building

Fences




BUILDING FORM


NEW FACE OF TAMAN SARI

RESULT

SINGING BIRD PAVILION



DRYING PAVILION




BUILDING FACADE

FACE OF TAMAN SARI, PENDOPO AND JOGLO HOUSE

STRATEGY


VARIES FACADE PAVILION

The facade envelope of each pavilion are different. It is depend on the function of building activities, specification space, and experience especially hearing sense want to achieved. It will create different respond of envelope form for each pavilions.



GAMELAN PAVILION

This pavilion have function as display or showroom of batik space. Interprating shop house ambience to the pavilion by taking the envelope of *joglo* house since it has a warm appearance and homey feeling. It will create display house-like space.





Joglo House
Source : jawawoodenhouses.com

SPECIFICATION



RESULT

AXONOMETRY FACADE



Gamelan Pavilion facade
source : Author,2021


BUILDING FACADE

FACE OF TAMAN SARI, PENDOPO AND JOGLO HOUSE

STRATEGY



SINGING BIRD PAVILION

This pavilion have function as mbatik / sketch / coloring activity. To achieve comfort space and creativity during activity, it is needed an ambiance that support them. Implement *Joglo* house terrace which use fences and direct interaction with outdoor, having infinity point of view either. Implement the wide opening from Taman Sari building as sitting and relaxing space. This facade will support and triggering the ideas and creativity of visitors shows up.




Joglo House terrace
Source : Kalindo land

SPECIFICATION



Joglo house envelope




Taman Sari openings



Pulo Kenongo, Taman Sari Complex
Source : Kaskus

RESULT

AXONOMETRY FACADE




wide void

transform to operable Louvre



elevate the slope into 10 degree



shading

wide void

transform to operable Louvre

Singing bird pavilion facade
source : Author,2021



BUILDING FACADE

FACE OF TAMAN SARI, PENDOPO AND JOGLO HOUSE

STRATEGY

WATER PAVILION


this pavilion have function to do *plorotan* / *gebyokan* or cleaning and washing *malem* from the cloth. the place will have a high humidity and wet flooring. The form envelope coming from *joglo* house. Use an operable louvre and two-frame of window like houses. Maximum in opening (semi-open) to deliver the humidity from indoor to outdoor and let the wind circulate it.



SPECIFICATION



RESULT



BUILDING FACADE


NORTH ELEVATION



WEST ELEVATION



BUILDING SECTION



LIGHT WEIGHT STRUCTURE

PAVILION, STILT, LIGHT WEIGHT MATERIAL

STRATEGY

PAVILION TYPOLOGY

An effort to preserve and treat the heritage place using pavilion typology, it's able to have light weight structure which able to stand up strongly above ground directly. The structure which load the pavilion is simple. The complexity of this pavilion is the joints between structure.

able to stand directly above ground

structure framework simplicity

light weight structure applicable

metal shingles roof tile

light weight steel

light weight steel

STILT TYPE

One of the solution to not ruin the existing by not to touch the existing itself. By using stilt type approach, the building will stand above the ground with a gap. The slab will not touch the ground. Only use the slab structure to have the floor.


Not touch/ruin the existing ground

Stilt Slab structure applicable

steel column and beam

GRC board slab

Stilt with pedestal foundation




CIRCULATION AND MOVEMENT IN PAVILION

RADIAL & NETWORK, DYNAMIC & STATIC


STRATEGY

GAMELAN PAVILION RADIAL and DYNAMIC

the layout of space is having *gamelan* instrument which responded by the visitors with radial movement circulation. The visitors may approach both of the display batik and then the instrument. the wide of circulation path is about 2 meters. When the visitors move radial they will hear the sound both from 2 sides and feel the intimation of that. Visitors will always move dynamic and stop temporarily.




- 2 focus point
- dynamic and temporary




SINGING BIRD PAVILION RADIAL and STATIC

the layout of pavilion having a high bird cages in the middle. It is celebrating the beauty of birds and the singing. The visitors will respond by focus to the middle point and tend to stay (static) in one point to take a view of birds.




- 1 focus point
- static and stay long time




WATER PAVILION NETWORK and STATIC

the layout of pavilion having 2 focus point place which is the hot water washing space and fresh water washing space. The visitors will respond by focus in the middle point first to wash with hot water then move to the next second point which to wash cloth with fresh water. So, their movement will temporary static. but, having certain point to be visited.



- 2 focus point
- temporary static



ACOUSTIC PARAMETER



GAMELAN PAVILION

SOUND DELIVER CONTROLLED WITH BUILDING MATERIAL

1. SOUND SOURCE TO CEILING
Sound source from gamelan instrument will delivered to the ceiling first. Ceiling use a PVC panel which have small number possibility to diffuse the sound. This material having characteristic dense and non pored material. So, it's hard to absorb the sound. The small number of sound will delivered to the wall acoustic panel which become sound absorbent.

2. SOUND SOURCE TO ACOUSTIC PANEL ABSORBENT
Sound source from gamelan instrument will directly delivered to acoustic panel as absorbent which use wood pored material. The excess sound will be absorbed by the acoustic panel to be a sound background of visitors while enjoying batik display

3. SOUND SOURCE TO FLOORING
Sound source from gamelan instrument will directly delivered to pavilion floor which use GRC board material. This material having characteristic to diffuse and absorb the sound since material type is having very small pore. This material will help to reduce step sound from visitors.



SOUNDSCAPE AND PAVILION

SOUNDSCAPE TOWARDS PAVILION



GAMELAN PAVILION Another space surround gamelan pavilion is

- Ponds and garden
- Singing bird pavilion
- Parking area

The ponds and garden area is in the north part of building which there is an opening, the sound of water and people walking there having medium possibility to transfer to the pavilion. While the high sound decible (dB) from gamelan instrument is enough to press the sound travel within the pavilion itself.

The Singing bird pavilion is in the east part of building which there is a pathway and shrub with high about 1.5 meters. It will decrease sound from Singing bird pavilion to transfer to the building.

Parking area is in the west part of building which there is a pathway, trees and shrub that reducing the sound of vehicle to not to transfer to the building. The distance between building and parking area is about 10 meter which enough to stop sound transfer.



— Sound Medium possibility to transmit

— Sound low possibility to transmit

SOUNDSCAPE AND PAVILION

SOUNDSCAPE TOWARDS PAVILION

SINGING BIRD PAVILION

- Another space surround singing bird pavilion is
- Multi purpose pavilion
 - Gamelan pavilion
 - Water pavilion

most of this pavilion are an opening or void. It's representing terrace of *joglo* house. So, the sound may transfer to the pavilion easily. The way it is controlled by landscaping.



Multi purpose pavilion is in the north part of building which very flexible place. The sound may transmit to the building easily. But, the shrubs with high 1.5 meter in the north part is reducing the sound transmit.

The gamelan pavilion is in the west part of building which there is a *gamelan* performance. *Gamelan* sound may have enough decible (dB) to transfer to the outdoor area. This pavilion will receive a small decible (dB) of *gamelan* sound. the distance and shrubs will reduce the sound. It will mix with bird chirping sound.

The water pavilion is in the east part of building. it's only 6 meter distance. The sound from water pavilion will delivered to this pavilion easily. But, it is controlled with green chinese bamboo which have high about 2 meters to reduce the sound transmission.



sound deliver



- Sound Medium possibility to transmit
- Sound low possibility to transmit

SOUNDSCAPE AND PAVILION

SOUNDSCAPE TOWARDS PAVILION

WATER PAVILION


Another space surround singing bird pavilion is

- Multi purpose pavilion
- Singing bird pavilion
- Amphitheater



Multi purpose pavilion is in the north part of building which very flexible place. The sound may transmit to the building easily through the entrance opening of this pavilion.

The singing bird pavilion is in the west part of building which there is a bird cage and resulting melody. The sound will transfer to this pavilion but, reduced with shrubs that become boundaries between pavilion and semi-closed facade.

Amphitheater is in the east part of building. it's about 15 meter distance. This two space are separated and divided with chinese bamboo with high 2 meters also Ketapang cendana trees. It will reduce the sound from amphitheater to the building.



sound deliver




Sound Medium possibility to transmit

Sound low possibility to transmit

SOUNDSCAPE AND PAVILION


SOUND WITHIN PAVILION

GAMELAN PAVILION Source of sound is coming from *gamelan* instrument in the middle of pavilion. The visitors will circling the *gamelan* instrument while enjoy the display batik. When instrument begin, the sound will delivered to the roof to reflected to others surface and acoustic panel absorbed the excess amount of sound. The intimation of sound to the visitors will be travel to their head and ears. The sound of gamelan may bring the theme of batik display it self. So, the gamelan sound will tell the stories of batik.




SINGING BIRD PAVILION

Source of sound coming from bird cage in the middle of pavilion. When the birds are singing, the sound will delivered direct to roof and the visitors. Giving a sense of in the nature feeling with comfort pavilion. The sound will travel to all pavilion area. This sound also will lead the visitors to give attention towards bird cage. the outside of this pavilion will hear the bird singing vaguely.



WATER PAVILION

Source of sound coming from *plorotan/gebyokan* activity which is remove the wax(*malem*). the sound of people's hand use water to rub the cloth and water splash will only heard inside the pavilion. The semi-closed facade will try stop the sound to transmit to outside. So, this pavilion will full of water sound only.



MANAGE EXISTING AMPHITHEATER

FLEXIBLE AND INTIMACY

STRATEGY

FLEXIBILITY IN FUNCTION

Having multi function amphitheater as space for


- Performance theater
- Music
- Fashion show
- Public space

by designing infinity stairs from stage directly connect to the audience area and connect it with garden as boundary between stage and audience. Fashion show need a low stair in runaways.

Connect stage with audience

Infinity stairs

Landscape as connection




INTIMACY WITH AUDIENCE

In several performance, audience need to have intimacy from the performer. To have that, designed the infinity stairs which accessible from 180 degree direction of stage. an access to each part of sitting area to reach the audience directly.

infinity stairs access

infinity stairs access

Pathway connect to audience




COMFORT OF PERFORMER

Sound from audio system may disturb the performer performance. Designing the wooden panel left and right of stage will decrease the sound reflection from sound to the stage. The wooden acoustic panel will absorb the excess amount of sound decible (dB), The performer will feel comfortable and enjoy doing performance.

acoustic panel absorbent

audio system structure



MANAGE EXISTING AMPHITHEATER

FLEXIBLE AND INTIMACY

RESULT

VIEW TO NORTH



VIEW TO SOUTH



VIEW TO SOUTH, PULO
KENONGO AS BACKGROUND



DISPLAY ROOM AND PERFORMANCE LIGHTING

LIGHTING CONCEPT


STRATEGY

GAMELAN PAVILION Gamelan pavilion is displaying batik lukis cloth and fabric, also batik painting. The light must shoot the product with **NO CHANGE THE ACTUAL COLOR OF BATIK** . Usually use **5000 K** color, it is the natural color light. The spotlight will shoot every 3 panel in the wall. The light is installed at the beam structure. The Flood light will installed above the gamelan performer. So, the light coming through ceiling tumpang sari.

No light
change
color

spotlight

flood light



Spot light
flood light


PERFORMANCE MUSIC AND THEATER

For performance music and theater, it is using stage spot light left and right at the structure. It's used for spotting the performer which consist of colors to represent the emotion of theater. Then, the led strip light for the stairs lighting. Also the background of amphitheater is Pulo Kenongo which can be use as background of performance with putting light mapping there.

Pulo Kenongo
background
light mapping

stage
spotlight

stairs and
garden
lighting



Spotlight
Led garden light
Mapping
Stairs light


FASHION SHOW

For fashion show, it is using led strip light as stage direction or boundaries in runway. The strip led light will direct from stage, go down to garden and back to the stage. Using spot light for highlighting the final point of runway.

Directional
strip led light

stage
spotlight

stairs and
garden
lighting



Spotlight
Led garden light
led strip light
Stairs light

DISPLAY ROOM AND PERFORMANCE LIGHTING


LIGHTING CONCEPT

RESULT

GAMELAN PAVILION



AMPHITHEATER VIEW TO SOUTH



AMPHI VIEW TO SOUTH, PULO KENONGO AS BACKGROUND




BATIK WASTE WATER TREATMENT

WATER PAVILION

STRATEGY

The batik waste water after it is processed and filtered will be delivered through chanal to ponds and garden area and collected as water ponds and to watering the plants. In the ponds and garden area, the clean water will delivered to both of ponds. The excess amount of water will collected in the ground tank or to watering the plants



- The process of treatment the waste water is
1. Waste water from hot water and fresh water will be collected in vessel
 2. Filtering the wax (*malem*) batik wiith trap water filter.
 3. Filtering the waste water contain to be clean water
 - 4, Deliver the clean water to ponds and garden area.

DESIGN EVALUATION

BY I-SIMPA SOFTWARE


PARAMETER INPUT DATA

The data input for calculate the acoustic sound result by filling complex number such as the **dividing the materials receiver, deciding materials, deciding the absorbent, reflective, diffusing material, put the distance from source to receiver, direction of it's sound, etc.**


GAMELAN SOUND 65 dB	MATERIAL	DISTANCE (m)
PVC Ceiling	absorb 35%, reflect 65%	7 meter
Acoustic panel wood	Absorb 80%	5 meter
GRC Board flooring	Absorb 50%,diffuse 50%	0-7 meter
Sound source is omnidirecton	panel receiver is bilateral direction	

Table data input for parameter calculation
Source : Author,2021


Choosing the building component as absorbent material, reflective material and diffusing material. Then, Calculate the result.



Acoustic panel as absorbent



Ceiling as reflective material



Acoustic ceiling as absorbent material



DESIGN EVALUATION

BY I-SIMPA SOFTWARE

RESULT

From the table of punctual receiver result, at **400 Hz** (which is music instrument standart)


- 1. The direct sound from sound source to visitors will have **31.3 dB** without any reflection or diffusing process. Only absorbed with the acoustic wall . The sound properly delivered and become a background sound for the visitors while enjoying the batik display.
- 2. The sound from source to visitors, if it's delivered with reflection and diffusion then go to the visitors, it will be **64.2 dB**. The sound will have echo and high decibel sound. It will not comfortable for visitors to enjoy the batik display

Spreadsheet - ..f reverberation\2021-07-27_12h50m31s\Punctual receivers\Receiver ...

Receiver 1	Direct dB SPL	Total (Sabine) dB SPL	Total (Eyring) dB SPL
50 Hz	22.3	69.8	69.8
63 Hz	23.3	68.8	68.8
80 Hz	24.3	67.8	67.8
100 Hz	25.3	67.0	67.0
125 Hz	26.3	66.2	66.2
160 Hz	27.3	65.4	65.4
200 Hz	28.3	64.9	64.9
250 Hz	29.3	64.5	64.5
315 Hz	30.3	64.3	64.3
400 Hz	31.3	64.2	64.2
500 Hz	32.3	64.3	64.3
630 Hz	33.3	64.5	64.5
800 Hz	34.3	64.8	64.8
1000 Hz	35.3	65.0	65.0
1250 Hz	36.3	65.1	65.1
1600 Hz	37.3	65.0	65.0
2000 Hz	38.3	64.7	64.7
2500 Hz	39.3	64.3	64.3
3150 Hz	40.3	63.8	63.8
4000 Hz	41.3	63.0	63.0
5000 Hz	42.3	62.3	62.3
6300 Hz	43.3	61.4	61.4

Table Punctual receiver result
Source : Author,2021

This simulation showing the data of sound deliveration. The sound source in the middle having green index color which mean this sound source having absorbent material and resulting low decibel.
The yellow index color showing the sound delivered to the visitors is almost 35 decibel.



3D simulation



DESIGN EVALUATION

SOUND PROPAGATION BY NOISETOOL

PARAMETER

Using parameter of sound decible (dB) to show whether the sound is **comfort or unpleasant**. The sound resulted from design evaluation will measured with this dB number.

SOUNDS	AVERAGE SOUND (dB)	MEANING
Whisper	30 dB	soft and slow
Normal conversation	60 dB	good for hearing (comfort)
Motorcycle engine	95 dB	Unpleasant
Concert	110 dB	hearing damage possibility


table of sound parameter
source : cdc.gov hearing loss

RESULT

GAMELAN PAVILION TOWARDS VISITORS WITHIN

Sound source from gamelan without output audio system with assumption high 1.2 meter and distance to users about 6 meter delivered to the visitors with high human body average about 1.6 meters. Data input;
SOUND SOURCE : 60 dB
output;
RECEIVER : 36.4 dB (without absorbent)
RECEIVER : 33.4 dB (with absorbent panel)

CONCLUSION : the sound of gamelan reduced almost 50% from sound source. the gamelan sound received by the visitors as background sound to enjoy and deliver the story of batik display. It's **COMFORT**




Graphics from noise tool Gamelan pavilion result
Source : Author,2021

SINGING BIRD PAVILION TOWARDS VISITORS WITHIN

Sound source from bird cage with assumption of source height 2 meters. the distance to visitors about 2-4 meters. The height of human is 1.6 meters. Data input;
SOUND SOURCE : 50 dB
output;
RECEIVER : 35 - 29.4 dB (direct to human)

CONCLUSION : the sound of singing bird reduced about 30-40% of sound source. The singing bird sound received by the visitors as background sound to triggering creativity and comfort to do mbatik/sketch activity. It will give **FOCUS** and **COMFORT** in the same time.



Graphics from noise tool Singing bird pavilion result
Source : Author,2021



DESIGN EVALUATION

SOUND PROPAGATION BY NOISE TOOL

RESULT

WATER PAVILION TOWARDS VISITORS WITHIN


Sound source from water splash with vessel height about 0.80 meter. the distance about 1-3 meter from vessel. The height of human is 1.6 meter. data input;

SOUND SOURCE : 60 dB

output

RECEIVER : 48-42.4 dB

CONCLUSION : the sound of water reduced about 10-20% of sound source. The activity is heavy and it's create high sound. The sound received to the visitors to triggering all the senses with playing water. it is **COMFORT** and **UNPLEASANT** in the same time.



Graphics from noise tool water pavilion
Source : Author,2021


SINGING BIRD PAVILION TOWARDS VISITORS OUTSIDE

Sound source from bird cage with assumption of source height 1.6 meters and bamboo chinese 1.2 meter as barrier. The distance is about 15 meter to the receiver.

SOUND SOURCE : 60 dB

RECEIVER : 21.9 dB (direct to human)

CONCLUSION : the sound of singing bird reduced about 60% of sound source. The singing bird sound received by the visitors are like whispering. it will makes a **COMFORT** and **PLEASANT** warmth ambiance and triggering visitors to looking for the sound source.



Graphics from noise tool singing bird pavilion to
outside visitors
Source : Author,2021



DESIGN EVALUATION


SOUND PROPAGATION BY NOISE TOOL

RESULT

AMPHITHEATER SOURCE TO RECEIVER

Sound source from bird cage with assumption of source height 1.6 meters and bamboo chinese 1.2 meter as barrier. The distance is about 15 meter to the receiver. Data input ;
SOUND SOURCE : 100 dB
RECEIVER : 70.4 dB (direct to human)
RECEIVER : 66.4 dB (Absorb with panel)

CONCLUSION : the amphitheater use sound system which produce high decible. it's delivered directly to the audience. The sound reduced about 30% of sound source. It's enough for good hearing.




Graphics from noise tool amphitheater to audience
Source : Author,2021

AMPHITHEATER TOWARDS PAVILION

Sound source from amphitheater with assumption height 1.6 -3 meter. Building as barrier with height about 4 - 6 meter high. with distance about 10-30 meter.
SOUND SOURCE : 100 dB
RECEIVER : 38.3 dB (direct to human)
RECEIVER : 32.4 dB (Absorb with building material and landscape)

CONCLUSION : the amphitheater sound is reduced about 50-70% to each building pavilion. It is absorbed by landscape and building material. The activity in pavilion area will not disturbed.



Graphics from noise tool amphitheater to others building
Source : Author,2021

DESIGN EVALUATION

RESPONDED BY HEAD OF BATIK PAGUYUBAN TAMAN SARI

QUESTION RESPONDED

Mr. Setiawan was responded to question and design proposal of the project in 2 times interview. After analyzing the contextual problem of Kampung Taman which is lack of respect to culture and historical value, Mr. Setiawan chosen as responden of question;

1. Since what time the lack of respect and awareness of culture and historical value of people are decreasing?
2. How the behavior of people when passing through and visit the shop house?
3. Are they having difficulties in visiting the shop house?
4. How about social activity within kampung wisata taman Sari?
5. Where is the public space for kampung wisata taman sari?

The respond of Mr. Iwan towards the design proposal is the awareness to understand and knowing about batik value will increase. Through attractiveness use sound and architectural element the visitors will interest to go there. They will learn batik with emotion, and ambiance of site. his ambition to have proper workshop space are high. So, he believe with have education purposes with attractive element such as sound and architectural aspect will give huge impact to visitors to have a new experience.

NAMA : S. IWAN SETIAWAN
KETUA PAGUYUBAN BATIK TAMAN SARI YIC

HASIL REVIEW :

Tertarik perkembangan IPAL (BTL) dijadikan tempat batik workshop.
Terdapat dan rumah panggung edukasi tentang proses batik konsep yg ditalarkan sangat syuri dan sesuai yg diharapkan, karena satu visi dengan apa yg selama ini di wujudkan. Tertarik dgn suasana pengunjung jadi lebih tertarik, nyaman, bisa berkreasiitas dgn apa yg di fasilitaskan. Dengan konsep ini: sangat ideal buat workshop yg sangat menarik di wujudkan.



Batik'e Lek Iwan
Owner
Iwan Setiawan
47 years old
source : Author, 2021



(S. Iwan Setiawan)

CHAPTER EVALUATION AND REFLECTION

6

Critics and question from juror
Inputs from juror
Lesson learning



CRITICS AND QUESTION FROM JURORS

QUESTION


Jury : Putu Ayu P. Agustiananda., Dr.-Ing

1. What are the most complicated issues you had to deal in this project? Please explain how you came into some solutions.

RESPONDS:

To deal with human is very challenging since play with intangible aspect which is relative or subjective value, such as Time by time the sense of heritage place in Kampung Wisata Taman Sari complex also decreasing . Now , Kampung Wisata Taman Sari area only feels like dense houses in the urban area.

- how to built the awareness of culture and history value within human? while they are in heritage area. The feeling to preserving the heritage is fading.



CRITICS AND QUESTION FROM JURORS

QUESTION


Jury : Putu Ayu P. Agustiananda., Dr.-Ing

2. Please tell me the reason how octagonal plan are the most appropriate to accommodate different programs (gamelan performance, birds singing, batik Making process, water play).

RESPONDS:

There are many consideration to choose the octagonal shape. The MAIN consideration is to have a **BALANCE** and **SIMPLICITY** with the site existing feature such as pathway and water treatment space which having no symmetrical or regular shape (Irregular). The appearance of original octagonal is strong and give a notion to the visitors that it was the new building. Beside, the consideration is activity function within, the heritage place and expression of space in visual.

BUILDING



ASPECT

ACTIVITY/FUNCTION


EASE IN ACCESS
CIRCULATION
& MOVEMENT

HERITAGE

INTEGRATE WITH
HERITAGE "AS
PLACE
IDENTITY"

SPACE EXPRESSION



SHOWING
DIFFERENCES
EXPRESSION
EVERY POINT
OF SPACE



GAMELAN PAVILION

RADIAL
MOVEMENT



DYNAMIC &
TEMPORAL



SINGING BIRD PAVILION

RADIAL
MOVEMENT


STATIC &
PERIOD



WATER PAVILION

NETWORK
MOVEMENT

STATIC &
TEMPORAL



CRITICS AND QUESTION FROM JURORS

QUESTION

Jury : Putu Ayu P. Agustiananda., Dr.-Ing
Prof. Noor Cholis I., S.T., M.Arch., Ph.D., IAI

3. Choose and explain some details that demonstrate how you applied the concepts into designs that answers the problems you set in your design brief.

RESPOND:



choose the sound deliver from sound source gamelan to the visitors.
There are 3 main building component that receive the sound.

- 1. Ceiling
- 2. Wall
- 3. Floor

The ceiling is using PVC board material with dense pore characteristic. So, the sound hard to be absorbed. It's more to reflect the sound to the other direction to received by other building element.

The wall (acoustic panel) using wooden material with pore characteristic. So, the sound will easily hold or absorbed by the acoustic panel.

The floor using GRC board material with small pore character. So, the sound will diffused and diminishing the sound deliver.



CRITICS AND QUESTION FROM JURORS

CRITICS AND INPUTS

Jury : Putu Ayu P. Agustiananda., Dr.-Ing

Jury : Prof. Noor Cholis I., S.T., M.Arch., Ph.D., IAI

- 1. The octagonal shape must be developed, not only formed as it is. Needs more development in plan form.
- 2. The roof shape is similar with Nias house (Eastern Indonesian vernacular) Not yet representing Taman Sari
- 3. The transformation of sacred Tumpang Sari element is not appropriate. Should not transforming the sacred things like that.
- 4. The acoustic panel (absorbent) in Gamelan Pavilion is too much. repeated in many number.

- 1. The way sound traveling and delivered from source to receiver need to be showed.
- 2. Shows the diagram or graphic of sound





LESSON LEARNING

CONCLUSION

FORM EXPLORATION SIMPLICITY is important to be reflected to this project. The COMPLEXITY is needed but must be controlled with some consideration. Have to consider on how the form transformed appropriately and the urgency of taking the form. Taking the reference of form (fundamental) which related with function. The development of new form or transformation need to be careful. So, that it's more identifiable as a identity of place. Diminish miss understanding and miss recognition to the place identity.

COMPLEXITY
VS
SIMPLICITY

URGENCY OF
TAKING
FORM
REFERENCE

PROPER
FORM
TRANSFOR
MATION

FORM AS
IDENTITY OF
PLACE

BUILDING COMPONENT

The element of building. The transformation of reference element to the new form need to be considered well and developed properly. Every element have their own characteristic. Not all of unique elements can be changed or transformed easily as decoration of building. May be it will not identifiable from the reference element. The arrangement of decorative building component must be considered. So, it's not over crowded or not competitive one another.

PROPER
FORM
TRANSFORM
ATION

URGENCY OF
TAKING
FORM
REFERENCE

ARRANGEMENT
OF ELEMET

DECORATIVE
AND
FUNCTIONAL

References

KasabaBawada,Kolhapur.(2017).Journal : Soundscapes in Architecture NeelaJirge Asst. Professor

D.Y.Patil college Of Engg. And Tech. Dept.of Architecture, Maharashtra. India.

Johnson,Javier. Sugiarto, Roni.2019.Dynamic Connection of Soundscape with Architectural Elements Case Study : The Seven Sorrow of Virgin Saint Mary Church. Parahyangan Catholic University.

R i s t a . S i n a n g j o y o , N i k a s i s u s J o n e t . Damasdino,Fian(2019).Membangun Imajinasi Wisatawan Melalui Pengalaman Perjalanan dikawasan Wisata Warisan Budaya.Media Wisata, Volume 17,Nomor 2. Sekolah Tinggi Pariwisata AMPTA Yogyakarta

Robinson, Joel.2013-2014.Journal introducing pavilions : big worlds under little tents.

Schafer, R. (1977).Book: The Soundscape, Our Sonic Environment and The Tuning of the World.

Truax,B.(1996) Soundscape, Acoustic Communication and Environmental Sound Composition.

Wang, Keda.2003. Thesis : The Aesthetic Principle of Soundscape in Architectural Design and Built Environment.Texas

Wikipedia. Taman Sari Yogyakarta.

Dumarçay Jacques. XIII. Le Taman Sari. Étude architecturale. In: Bulletin de l'Ecole française d'Extrême-Orient. Tome 65 N°2, 1978.

Scidmore,E.R, Book: Java the Garden of The East

Brigitte Schulte-Fortkamp* and Pamela Jordan.2016. When soundscape meets architecture.

Noviandri, Patricia Pahlevi. Sabono,Fredy. 2019. KAJIAN PERUBAHAN RUANG DAN SOUNDMARK KAWASAN WISATA PUSAKA TAMANSARI YOGYAKARTA

<https://www.archdaily.com/921265/redevelopment-of-maogong-barn-art-center-approach-architecture-studio>

<https://www.archdaily.com/879960/children-village-rosenbaum-plus-aleph-zero>

<https://archimorph.com/2010/04/27/detroit-soundscape/>

<https://involvedmag.com/observations-through-the-spatial-typology-of-pavilion/>

<https://www.archdaily.com/914568/growing-up-new-office-works>

<http://www.penebar.com/2012/03/kerajinan-batik-lukisan-tamansari.html>

https://id.wikipedia.org/wiki/Pasar_Ngasem

<https://gamelan.gs/booklet/the-meditative-gender/>

Fitriyani, Irma.2015. PENGUNAAN RUANG PADA USAHA BATIK TULIS DI KAMPUNG BATIK JETIS SIDOARJO

https://www.academia.edu/8627070/ASPEK_HUKUM_UPAYA_PELESTARIAN_SITUS_TAMANSARI_YOGYAKARTA_SEBAGAI_SALAH_SATU_WARISAN_BUDAYA